

7pc 1/4" Star tamperproof bit set




2071

200/11.2/12.2/1.3' Δ 60g

	7pc	1/4" T-10H; T-15H; T-20H; T-25H; T-27H; T-30H; T-40H (25mmL)

10pc 1/4" Double end phillips bit set



2101

100/10.6/11.6/0.8' Δ 116g


	10pc	121452D 1/4" PH.2 (45mmL)
--	------	---------------------------

2101L

100/11.6/12.6/0.8' Δ 116g

	10pc	121652D 1/4" PH.2 (65mmL)
--	------	---------------------------

10pc 1/4" Bit set




21010

100/10.2/11.2/1.29' Δ 100g

	4pc	1/4" PH.0; PH.1; PH.2; PH.3 (25mmL)
	3pc	1/4" PZ.1; PZ.2; PZ.3 (25mmL)
	3pc	1/4" 4; 5.5; 6.5 mm (25mmL)

10pc 1/4" Hex bit set



21011

100/11.6/12.6/1.29' Δ 121g

	10pc	1/4" 2; 2.5; 3; 4; 5; 5.5; 6; 7; 8; 10 mm (25mmL)
--	------	---

21011S

100/11.6/12.6/1.29' Δ 121g

	10pc	1/4" 1/16"; 3/32"; 1/8"; 5/32"; 3/16"; 7/32"; 1/4"; 9/32"; 5/16"; 3/8" (25mmL)
--	------	---

10pc 1/4" Star bit set



21012

100/10.2/11.2/1.29' Δ 100g

	10pc	1/4" T7; T8; T9; T10; T15; T20; T25; T27; T30; T40 (25mmL)
--	------	---


10pc 1/4" Star tamperproof bit set


21012T

100/10.2/11.2/1.29' 76g

	10pc	1/4" T-7H; T-8H; T-9H; T-10H; T-15H; T-20H; T-25H; T-27H; T-30H; T-40H (25mmL)
--	------	--

10pc 1/4" Five-sided star tamperproof bit set


21013

100/11.3/12.3/1.29' 100g

	10pc	1/4" TS8; TS10; TS15; TS20; TS25; TS27; TS30; TS40; TS45; TS50 (25mmL)
--	------	--

11pc 1/4" Bit set


21111

100/15.5/16.5/1.6' 155g

	4pc	1/4" PH.0; PH.1; PH.2; PH.3 (25mmL)
	4pc	1/4" PZ.0; PZ.1; PZ.2; PZ.3 (25mmL)
	2pc	1/4" 5.5; 6.5 mm (25mmL)
	1pc	Magnetic QR 1/4"Hex-1/4"Inhex 2.3"(60mm)

11pc 1/4" Bit set


21112

100/14.8/15.8/1.6' 155g

	4pc	1/4" PH.1; PH.2 x 2; PH.3 (25mmL)
	4pc	1/4" PZ.1; PZ.2 x 2; PZ.3 (25mmL)
	2pc	1/4" 5.5; 6.5 mm (25mmL)
	1pc	Magnetic QR 1/4"Hex-1/4"Inhex 2.3"(60mm)

11pc 1/4" Star bit set


21113

100/15.0/16.0/1.6' 155g

	10pc	1/4" T7; T8; T9; T10; T15; T20; T25; T27; T30; T40 (25mmL)
	1pc	Magnetic QR 1/4"Hex-1/4"Inhex 2.3"(60mm)

11pc 1/4" Star tamperproof bit set



21113T

100/15.0/16.0/1.6" △ 155g

	10pc	1/4" T-7H; T-8H; T-9H; T-10H; T-15H; T-20H; T-25H; T-27H; T-30H; T-40H (25mmL)
	1pc	Magnetic QR 1/4"Hex-1/4"Inhex 2.3"(60mm)

31pc 1/4" Bit set



2311

40/12.2/13.2/1.1" △ 315g

	6pc	1/4" PH.0; PH.1 x 2; PH.2 x 2; PH.3 (25mmL)
	6pc	1/4" PZ.0; PZ.1 x 2; PZ.2 x 2; PZ.3 (25mmL)
	4pc	1/4" 3; 4; 5; 6.5 mm (25mmL)
	6pc	1/4" 2; 2.5; 3; 4; 5; 6 mm (25mmL)
	8pc	1/4" T-10H; T-15H; T-20H; T-25H; T-27H; T-30H; T-35H; T-40H (25mmL)
	1pc	Magnetic QR 1/4"Hex-1/4"Inhex 2.3"(60mm)

31pc 1/4" Bit set



2313

48/17.1/18.1/2.1" △ 300g

	6pc	1/4" PH.0; PH.1 x 2; PH.2 x 2; PH.3 (25mmL)
	5pc	1/4" PZ.1 x 2; PZ.2 x 2; PZ.3 (25mmL)
	3pc	1/4" 4; 5.5; 6.5 mm (25mmL)
	4pc	1/4" 3; 4; 5; 6 mm (25mmL)
	12pc	1/4" T5; T6; T7; T8; T9; T10; T15; T20; T25; T27; T30; T40 (25mmL)
	1pc	Magnetic QR 1/4"Hex-1/4"Inhex 2.3"(60mm)

31pc 1/4" Bit set



2313A

48/12.7/13.7/2.1" △ 302g

	4pc	1/4" PH.1; PH.2 x 2; PH.3 (25mmL)
	2pc	1/4" PZ.1; PZ.2 (25mmL)
	4pc	1/4" 3; 4; 5; 6 mm (25mmL)
	10pc	1/4" T5; T6; T8; T10; T15; T20; T25; T27; T30; T40 (25mmL)
	10pc	1/4" T-6H; T-8H; T-10H; T-15H; T-20H; T-25H; T-27H; T-30H; T-35H; T-40H (25mmL)
	1pc	Magnetic QR 1/4"Hex-1/4"Inhex 3"(75mm)


31pc 1/4" Security bit set


2315

48/17.0/18.0/2.1' 300g

	4pc	1/4" 6; 8; 10 mm (25mmL) 1/4" (25mmL)
	3pc	1/4" 1; 2; 3 (25mmL)
	4pc	1/4" 4; 6; 8; 10 mm (25mmL)
	4pc	1/4" No.0; No.1; No.2; No.3 (25mmL)
	6pc	1/4" 2; 2.5; 3; 4; 5; 6 mm (25mmL)
	9pc	1/4" T-7H; T-8H; T-10H; T-15H; T-20H; T-25H; T-27H; T-30H; T-40H (25mmL)
	1pc	Magnetic QR 1/4"Hex-1/4"Hex 2.3"(60mm)


33pc 1/4" Security bit set


2331

80/21.3/22.3/1.6' 250g

	3pc	1/4" 6; 8; 10 mm (25mmL)
	4pc	1/4" 1; 2; 3; 4 (25mmL)
	4pc	1/4" 4; 6; 8; 10 mm (25mmL)
	6pc	1/4" 2; 2.5; 3; 4; 5; 6 mm (25mmL)
	6pc	1/4" 5/32"; 9/64"; 1/8"; 7/64"; 3/32"; 5/64" (25mmL)
	9pc	1/4" T-8H; T-10H; T-15H; T-20H; T-25H; T-27H; T-30H; T-35H; T-40H (25mmL)
	1pc	Magnetic 1/4"Hex-1/4"Hex 2.3"(60mm)


33pc 1/4" Security bit set


2331A

80/20.0/21.0/1.6' 250g

	6pc	1/4" 2; 4; 6; 8; 10 mm (25mmL) 1/4" (25mmL)
	4pc	1/4" 1; 2; 3; 4 (25mmL)
	6pc	1/4" 4; 6; 8; 10; 12; 14 mm (25mmL)
	4pc	1/4" No.0; No.1; No.2; No.3 (25mmL)
	6pc	1/4" 2; 2.5; 3; 4; 5; 6 mm (25mmL)
	6pc	1/4" 5/64"; 3/32"; 7/64"; 1/8"; 9/64"; 5/32" (25mmL)
	1pc	Magnetic 1/4"Hex-1/4"Hex 2.3"(60mm)

33pc 1/4" Bit set


2332

80/21.6/22.6/1.6' 270g

	5pc	1/4" PH.1 x 2; PH.2 x 2; PH.3 (25mmL)
	3pc	1/4" PZ.1; PZ.2 x 2 (25mmL)
	4pc	1/4" 3; 4; 5; 6 mm (25mmL)
	10pc	1/4" T5; T6; T8; T10; T15; T20; T25; T27; T30; T40 (25mmL)
	10pc	1/4" T-6H; T-8H; T-10H; T-15H; T-20H; T-25H; T-27H; T-30H; T-35H; T-40H (25mmL)
	1pc	Magnetic 1/4"Hex-1/4"Hex 2.3"(60mm)

61pc 1/4" Bit set



2611A

30/16.1/17.1/1.7' Δ 520g

	23pc	1/4" PH.1 x 7; PH.2 x 13; PH.3 x 3 (25mmL)
	23pc	1/4" PZ.1 x 7; PZ.2 x 13; PZ.3 x 3 (25mmL)
	3pc	1/4" 4; 5.5; 6.5 mm (25mmL)
	4pc	1/4" 3; 4; 5; 6 mm (25mmL)
	7pc	1/4" T10; T15; T20; T25; T27; T30; T40 (25mmL)
	1pc	Magnetic QR 1/4"Hex-1/4"Inhex 2.3"(60mm)

2611B

30/16.1/17.1/1.7' Δ 520g

Changed items		
	1pc	Magnetic QR 1/4"Hex-1/4"Inhex 3"(75mm)

61pc 1/4" Bit set



2613

30/15.7/16.7/1.7' Δ 524g

	7pc	1/4" PH.0; PH.1 x 2; PH.2 x 3; PH.3 (25mmL)
	4pc	1/4" PZ.1; PZ.2 x 2; PZ.3 (25mmL)
	5pc	1/4" 3; 4; 5; 5.5; 6.5 mm (25mmL)
	9pc	1/4" 2; 2.5; 3; 4; 5; 6; 7; 8; 10 mm (25mmL)
	13pc	1/4" T4; T5; T6; T7; T8; T9; T10; T15; T20; T25; T27; T30; T40 (25mmL)
	12pc	1/4" T-6H; T-7H; T-8H; T-9H; T-10H; T-15H; T-20H; T-25H; T-27H; T-30H; T-35H; T-40H (25mmL)
	10pc	1/4" TS8; TS10; TS15; TS20; TS25; TS27; TS30; TS40; TS45; TS50 (25mmL)
	1pc	Magnetic QR 1/4"Hex-1/4"Inhex 3"(75mm)

102pc 1/4" Bit set



21021

10/9.8/10.8/1' Δ 970g

	40pc	Each 10pcs - 1/4" PH.0; PH.1; PH.2; PH.3 (25mmL)
	30pc	Each 10pcs - 1/4" PZ.1; PZ.2; PZ.3 (25mmL)
	30pc	Each 10pcs - 1/4" 4; 5.5; 6.5 mm (25mmL)
	1pc	Magnetic 1/4"Hex-1/4"Inhex 2.3"(60mm)
	1pc	Magnetic QR 1/4"Hex-1/4"Inhex 2.3"(60mm)

102pc 1/4" Bit set


21022

20/17.0/18.0/0.9" 1550g

	15pc	Each	5pcs - 1/4" PH.1; PH.2; PH.3 (25mmL)
	15pc	Each	5pcs - 1/4" PZ.1; PZ.2; PZ.3 (25mmL)
	15pc	Each	5pcs - 1/4" 4; 5.5; 6.5 mm (25mmL)
	10pc	Each	2pcs - 1/4" 2; 3; 4; 5; 6 mm (25mmL)
	27pc	Each	3pcs - 1/4" T6; T8; T10; T15; T20; T25; T27; T30; T40 (25mmL)
	18pc	Each	2pcs - 1/4" T-6H; T-8H; T-10H; T-15H; T-20H; T-25H; T-27H; T-30H; T-40H (25mmL)
	1pc		Magnetic 1/4"Hex-1/4"Inhex 2.3"(60mm)
	1pc		Magnetic QR 1/4"Hex-1/4"Inhex 2.3"(60mm)

8pc 1/4" Star tamperproof bit & holder wrench set


2081

100/14.0/15.0/1.3" 140g

	7pc	1/4" T-10H; T-15H; T-20H; T-25H; T-27H; T-30H; T-40H (30mmL)
	1pc	Offset bit holder wrench 4.3"(110mm) (8152105)

8pc 1/4" Bit & holder wrench set


2081A

100/14.0/15.0/1.3" 140g

	3pc	1/4" PH.1; PH.2; PH.3 (30mmL)
	2pc	1/4" PZ.1; PZ.2 (30mmL)
	2pc	1/4" 4; 7 mm (30mmL)
	1pc	Offset bit holder wrench 4.3"(110mm) (8152105)

8pc 1/4" Hex bit & holder wrench set


2081B

100/14.0/15.0/1.3" 140g

	7pc	1/4" 2; 3; 4; 5; 6; 7; 8 mm (30mmL)
	1pc	Offset bit holder wrench 4.3"(110mm) (8152105)

8pc 1/4" Bit & holder wrench set


2081C

100/14.0/15.0/1.3" 140g

	3pc	1/4" PH.1; PH.2; PH.3 (30mmL)
	3pc	1/4" PZ.1; PZ.2; PZ.3 (30mmL)
	1pc	1/4" 7 mm (30mmL)
	1pc	Offset bit holder wrench 4.3"(110mm) (8152105)

8pc 1/4" Star bit & holder wrench set



2081D

100/14.0/15.0/1.3' 140g

	7pc	1/4" T10; T15; T20; T25; T27; T30; T40 (30mmL)
	1pc	Offset bit holder wrench 4.3"(110mm) (8152105)

9pc 1/4" Double-sized bit & spinner handle set



20918

20/8.8/9.8/0.59' 428g

	1pc	1/4" PH.1xPH.2 (165mmL)
	1pc	1/4" PZ.1xPZ.2 (165mmL)
	2pc	1/4" 3x4mm; 5.5x7mm (165mmL)
	4pc	1/4" T8xT10; T15xT20; T25xT27; T30xT40 (165mmL)
	1pc	1/4" inhex 5"(125mm) (8152)

9pc 1/4" Five-sided, Star tamper double-sized bit & bit driver set

NEW



20918T

20/9.0/10.0/0.59' 430g

	4pc	1/4" T-10H x T-15H; T-20H x T-25H; T-27H x T-30H; T-35H x T-40H (165mmL)
	4pc	1/4" TS8 x TS10; TS15 x TS20; TS25 x TS27; TS30 x TS40 (165mmL)
	1pc	1/4" inhex 5" (125mm) (8152)

22pc Mini ratchet bit handle set



12 sets / display box

2222

48/14.0/15.0/0.87' 280g

	5pc	1/4" DR. 6; 7; 8; 10; 13 mm
	3pc	1/4" PH.1; PH.2; PH.3 (25mmL)
	3pc	1/4" 4; 5.5; 6.5 mm (25mmL)
	4pc	1/4" 3; 4; 5; 6 mm (25mmL)
	5pc	1/4" T10; T15; T20; T25; T30 (25mmL)
	1pc	Ratchet 1/4" inhex 5.1"(130mm) (802214)
	1pc	1/4" Hex-1/4" Sq. (25mmL)

26pc Ratchet bit spinner handle set


2263

10/13.6/14.6/1' 1400g

	11pc	1/4"DR. 4; 4.5; 5; 5.5; 6; 7; 8; 9; 10; 11; 12 mm
	2pc	1/4" PH.1xPH.2; PH.3xPH.4 (165mmL)
	2pc	1/4" PZ.1xPZ.2; PZ.3xPZ.4 (165mmL)
	2pc	1/4" 3x4mm; 5.5x7mm (165mmL)
	2pc	1/4" 3x4mm; 5x6mm (165mmL)
	4pc	1/4" T8xT10; T15xT20; T25xT27; T30xT40 (165mmL)
	1pc	1/4" inch-1/4"(M)
	1pc	Ratchet 1/4" inch 8"(200mm) (8152R)
	1pc	Demagnetizer / Magnetizer (88601)

25pc Ratchet spinner set


2255

40/17.0/18.0/3.5' 370g

	3pc	1/4" PH.1; PH.2; PH.3 (25mmL)
	3pc	1/4" PZ.1; PZ.2; PZ.3 (25mmL)
	5pc	1/4" 3; 4; 5; 5.5; 6.5 mm (25mmL)
	6pc	1/4" 3; 4; 5; 6; 7; 8 mm (25mmL)
	6pc	1/4" T-10H; T-15H; T-20H; T-25H; T-27H; T-30H (25mmL)
	1pc	Magnetic 1/4"DR.x1/4"(F)
	1pc	Ratchet 1/4"DR. 7.6"(193mm) (8149)

46pc Ratchet spinner set


K2463

24/17.8/18.8/1.5' 740g

	13pc	Spline 1/4"DR. 4; 4.5; 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13; 14 mm
	4pc	1/4" PH.0; PH.1; PH.2; PH.3 (25mmL)
	4pc	1/4" PZ.0; PZ.1; PZ.2; PZ.3 (25mmL)
	5pc	1/4" 3; 4; 5; 5.5; 6.5 mm (25mmL)
	6pc	1/4" 3; 4; 5; 6; 7; 8 mm (25mmL)
	7pc	1/4" T-10H; T-15H; T-20H; T-25H; T-27H; T-30H; T-40H (25mmL)
	5pc	1/4" M4; M5; M6; M8; M10 (25mmL)
	1pc	Magnetic 1/4"DR.x1/4"(F)
	1pc	Ratchet 1/4"DR. 7.6"(193mm) (8149)

7pc 10mm Hex bit set



4075

100/20.0/21.0/3.1' 140g

		6pc	10mm 4; 5; 6; 8; 10; 12 mm (30mmL)
		1pc	1/2"DR.x10mm(F)

15pc 10mm Hex bit set



4155

20/14.1/15.1/0.82' 800g

		7pc	10mm 4; 5; 6; 7; 8; 10; 12 mm (30mmL)
		7pc	10mm 4; 5; 6; 7; 8; 10; 12 mm (75mmL)
		1pc	1/2"DR.x10mm(F)

7pc 5/16" Star bit set



3071

100/14.5/15.5/1.8' 145g

		6pc	5/16" T25; T30; T40; T45; T50; T55 (35mmL)
		1pc	3/8"DR.x5/16"(F)

7pc 10mm Star bit set



4074

100/19.0/20.0/3.1' 140g

		6pc	10mm T25; T30; T40; T45; T50; T55 (30mmL)
		1pc	1/2"DR.x10mm(F)

8pc 10mm Star bit set


4081

100/17.8/18.8/1.6' 190g

	7pc	10mm T20; T25; T30; T40; T45; T50; T55 (30mmL)
	1pc	1/2"DR.x10mm(F)

4081-3

100/19.0/20.0/1.6' 190g

Changed items

	1pc	3/8"DR.x10mm(F)
--	-----	-----------------

9pc 10mm Star bit set


3094

100/18.2/19.2/1.6' 182g

	8pc	10mm T20; T25; T30; T40; T45; T50; T55; T60 (30mmL)
	1pc	3/8"DR.x10mm(F)

3094-4

100/18.2/19.2/1.6' 182g

Changed items

	1pc	1/2"DR.x10mm(F)
--	-----	-----------------

15pc 10mm Star bit set


4156

20/13.2/14.2/0.82' 800g

	7pc	10mm T20; T25; T30; T40; T45; T50; T55 (30mmL)
	7pc	10mm T20; T25; T30; T40; T45; T50; T55 (75mmL)
	1pc	1/2"DR.x10mm(F)

22pc 10mm Star tamperproof bit set



4222

15/14.5/15.5/1'  1033g

 	10pc	10mm T-10H; T-15H; T-20H; T-25H; T-27H; T-30H; T-40H; T-45H; T-50H; T-55H (30mmL)
 	10pc	10mm T-10H; T-15H; T-20H; T-25H; T-27H; T-30H; T-40H; T-45H; T-50H; T-55H (75mmL)
	2pc	3/8"DR.x10mm(F); 1/2"DR.x10mm(F)

6pc 10mm Spline bit set



4066

100/13.0/14.0/3.1'  130g

 	5pc	10mm M5; M6; M8; M10; M12 (30mmL)
	1pc	1/2"DR.x10mm(F)

7pc 10mm Spline bit set



4072

60/16.8/17.8/1.3'  275g

 	3pc	10mm M6; M8; M10 (30mmL)
 	3pc	10mm M8; M10; M12 (75mmL)
	1pc	1/2"DR.x10mm(F)

11pc 10mm Spline bit set



4112

20/11.3/12.3/0.82'  515g

 	5pc	10mm M5; M6; M8; M10; M12 (30mmL)
 	5pc	10mm M5; M6; M8; M10; M12 (75mmL)
	1pc	1/2"DR.x10mm(F)

22pc 10mm Ribe bit set


4225

15/16.5/17.5/1' 1230g

	10pc	10mm M4; M5; M6; M7; M8; M9; M10; M12; M13; M14 (30mmL)
	10pc	10mm M4; M5; M6; M7; M8; M9; M10; M12; M13; M14 (75mmL)
	2pc	3/8"DR.x10mm(F); 1/2"DR.x10mm(F)

28pc 10mm Bit set


4283

15/15.9/16.9/1' 1200g

	7pc	10mm 4; 5; 6; 7; 8; 10; 12 mm (30mmL)
	4pc	10mm 5; 6; 8; 10 mm (75mmL)
	7pc	10mm T20; T25; T30; T40; T45; T50; T55 (30mmL)
	4pc	10mm M5; M6; M8; M10 (30mmL)
	4pc	10mm M6; M8; M10; M12 (75mmL)
	2pc	3/8"DR.x10mm(F); 1/2"DR.x10mm(F)

35pc Bit set


4351

10/20.5/21.5/0.7' 2500g

	7pc	10mm 4; 5; 6; 7; 8; 10; 12 mm (30mmL)
	7pc	10mm 4; 5; 6; 7; 8; 10; 12 mm (75mmL)
	7pc	10mm T20; T25; T30; T40; T45; T50; T55 (30mmL)
	2pc	14mm T60; T70 (50mmL)
	7pc	10mm T20; T25; T30; T40; T45; T50; T55 (75mmL)
	2pc	14mm T60; T70 (75mmL)
	3pc	3/8"DR.x10mm(F); 1/2"DR.x10mm(F); 1/2"DR.x14mm(F)

40pc 10mm Bit set



4401

10/19.5/20.5/0.8' 2000g

	7pc	10mm 4; 5; 6; 7; 8; 10; 12 mm (30mmL)
	7pc	10mm 4; 5; 6; 7; 8; 10; 12 mm (75mmL)
	7pc	10mm T20; T25; T30; T40; T45; T50; T55 (30mmL)
	7pc	10mm T20; T25; T30; T40; T45; T50; T55 (75mmL)
	5pc	10mm M5; M6; M8; M10; M12 (30mmL)
	5pc	10mm M5; M6; M8; M10; M12 (75mmL)
	2pc	3/8"DR.x10mm(F); 1/2"DR.x10mm(F)

4401T

10/19.5/20.5/0.8' 2000g

Changed items		
	7pc	10mm T-20H; T-25H; T-30H; T-40H; T-45H; T-50H; T-55H (30mmL)
	7pc	10mm T-20H; T-25H; T-30H; T-40H; T-45H; T-50H; T-55H (75mmL)

40pc 10mm Bit set



4401C

10/17.8/18.8/1' 1900g

	7pc	10mm 4; 5; 6; 7; 8; 10; 12 mm (30mmL)
	7pc	10mm 4; 5; 6; 7; 8; 10; 12 mm (75mmL)
	7pc	10mm T20; T25; T30; T40; T45; T50; T55 (30mmL)
	7pc	10mm T20; T25; T30; T40; T45; T50; T55 (75mmL)
	5pc	10mm M5; M6; M8; M10; M12 (30mmL)
	5pc	10mm M5; M6; M8; M10; M12 (75mmL)
	2pc	3/8"DR.x10mm(F); 1/2"DR.x10mm(F)

4401CT

10/17.8/18.8/1' 1900g

Changed items		
	7pc	10mm T-20H; T-25H; T-30H; T-40H; T-45H; T-50H; T-55H (30mmL)
	7pc	10mm T-20H; T-25H; T-30H; T-40H; T-45H; T-50H; T-55H (75mmL)

42pc 10mm Bit set



4421

10/20.3/21.3/0.8' Δ 2100g

	7pc	10mm 4; 5; 6; 7; 8; 10; 12 mm (30mmL)
	7pc	10mm 4; 5; 6; 7; 8; 10; 12 mm (75mmL)
	8pc	10mm T20; T25; T30; T40; T45; T50; T55; T60 (30mmL)
	8pc	10mm T20; T25; T30; T40; T45; T50; T55; T60 (75mmL)
	5pc	10mm M5; M6; M8; M10; M12 (30mmL)
	5pc	10mm M5; M6; M8; M10; M12 (75mmL)
	2pc	3/8"DR.x10mm(F); 1/2"DR.x10mm(F)

4421T

10/21.0/22.0/0.8' Δ 2100g

Changed items		
	8pc	10mm T-20H; T-25H; T-30H; T-40H; T-45H; T-50H; T-55H; T-60H (30mmL)
	8pc	10mm T-20H; T-25H; T-30H; T-40H; T-45H; T-50H; T-55H; T-60H (75mmL)

42pc 10mm Bit set



4421C

10/18.7/19.7/1' Δ 2000g


	7pc	10mm 4; 5; 6; 7; 8; 10; 12 mm (30mmL)
	7pc	10mm 4; 5; 6; 7; 8; 10; 12 mm (75mmL)
	8pc	10mm T20; T25; T30; T40; T45; T50; T55; T60 (30mmL)
	8pc	10mm T20; T25; T30; T40; T45; T50; T55; T60 (75mmL)
	5pc	10mm M5; M6; M8; M10; M12 (30mmL)
	5pc	10mm M5; M6; M8; M10; M12 (75mmL)
	2pc	3/8"DR.x10mm(F); 1/2"DR.x10mm(F)

4421CT

10/18.5/19.5/1' Δ 2000g

Changed items		
	8pc	10mm T-20H; T-25H; T-30H; T-40H; T-45H; T-50H; T-55H; T-60H (30mmL)
	8pc	10mm T-20H; T-25H; T-30H; T-40H; T-45H; T-50H; T-55H; T-60H (75mmL)

44pc 10mm Bit set



4441C

 10/22.3/23.3/1'

	7pc	10mm 4; 5; 6; 7; 8; 10; 12 mm (30mmL)
	7pc	10mm 4; 5; 6; 7; 8; 10; 12 mm (75mmL)
	8pc	10mm T20; T25; T30; T40; T45; T50; T55; T60 (30mmL)
	8pc	10mm T20; T25; T30; T40; T45; T50; T55; T60 (75mmL)
	2pc	1/2"DR. T80 (70mmL); T70 (100mmL)
	5pc	10mm M5; M6; M8; M10; M12 (30mmL)
	5pc	10mm M5; M6; M8; M10; M12 (75mmL)
	2pc	3/8"DR.x10mm(F); 1/2"DR.x10mm(F)

4441CT

 10/22.3/24.3/1'

Changed items		
 	8pc	10mm T-20H; T-25H; T-30H; T-40H; T-45H; T-50H; T-55H; T-60H (30mmL)
 	8pc	10mm T-20H; T-25H; T-30H; T-40H; T-45H; T-50H; T-55H; T-60H (75mmL)
 	2pc	1/2"DR. T-80H (70mmL); T-70H (100mmL)

44pc 10mm Bit set



4442C

 10/23.0/24.0/1'

	7pc	10mm 4; 5; 6; 7; 8; 10; 12 mm (30mmL)
	7pc	10mm 4; 5; 6; 7; 8; 10; 12 mm (75mmL)
	8pc	10mm T20; T25; T30; T40; T45; T50; T55; T60 (30mmL)
	8pc	10mm T20; T25; T30; T40; T45; T50; T55; T60 (75mmL)
	2pc	1/2"DR. T70 (100mmL); T55 (140mmL)
	5pc	10mm M5; M6; M8; M10; M12 (30mmL)
	5pc	10mm M5; M6; M8; M10; M12 (75mmL)
	2pc	3/8"DR.x10mm(F); 1/2"DR.x10mm(F)

4442CT

 10/21.9/22.9/1' 2200g

Changed items		
 	8pc	10mm T-20H; T-25H; T-30H; T-40H; T-45H; T-50H; T-55H; T-60H (30mmL)
 	8pc	10mm T-20H; T-25H; T-30H; T-40H; T-45H; T-50H; T-55H; T-60H (75mmL)

58pc 10mm Bit & 1/2"DR. Star socket set


4583

6/16.6/17.6/0.9' 2766g

	10pc	1/2"DR. E8; E10; E11; E12; E14; E16; E18; E20; E22; E24
	7pc	10mm 4; 5; 6; 7; 8; 10; 12 mm (30mmL)
	7pc	10mm 4; 5; 6; 7; 8; 10; 12 mm (75mmL)
	9pc	10mm T20; T25; T27; T30; T40; T45; T50; T55; T60 (30mmL)
	9pc	10mm T20; T25; T27; T30; T40; T45; T50; T55; T60 (75mmL)
	7pc	10mm M5; M6; M7; M8; M9; M10; M12 (30mmL)
	7pc	10mm M5; M6; M7; M8; M9; M10; M12 (75mmL)
	2pc	3/8"DR.x10mm(F); 1/2"DR.x10mm(F)

6pc Screwdriver set


2068

10/5.9/6.9/1.1' 630g

	2pc	PH.1 (80mmL); PH.2 (100mmL)
	4pc	3mm (75mmL); 4mm (100mmL); 5.5mm (125mmL); 6.5mm (150mmL)

7pc Screwdriver set


20713

10/10.1/11.1/1.3' 1010g

	3pc	PH.1 (80mmL); PH.2 (100mmL); PH.3 (150mmL)
	4pc	4mm (100mmL); 5.5mm (125mmL); 6.5mm (150mmL); 8mm (175mmL)


8pc Screwdriver set


2084

10/8.0/9.0/0.95' 820g

	2pc	PH.1 (80mmL); PH.2 (100mmL)
	6pc	3mm (75mmL); 3.5mm (100mmL); 4mm (100mmL); 5.5mm (125mmL); 6.5mm (150mmL); 8mm (175mmL)

8pc Screwdriver set



2085

10/4.8/5.8/1.1'

490g

	1pc	PH.1 (25mmL)
	1pc	PH.0 (60mmL)
	1pc	PZ.1 (25mmL)
	3pc	PZ.0 (60mmL); PZ.1 (80mmL); PZ.2 (100mmL)
	2pc	5.5; 6.5 mm (25mmL)

9pc Screwdriver set




20915

10/7.3/8.3/1.3'

797g

	2pc	PH.1; PH.2 (25mmL)
	2pc	PH.1 (80mmL); PH.2 (100mmL)
	1pc	5.5mm (25mmL)
	4pc	3mm (75mmL); 4mm (100mmL); 5.5mm (125mmL); 6.5mm (150mmL)

14pc Screwdriver set




2142

6/7.8/8.8/1.3'

1333g

	2pc	PH.1; PH.2 (25mmL)
	4pc	PH.0 (60mmL); PH.1 (80mmL); PH.2 (100mmL); PH.3 (150mmL)
	2pc	5.5; 6.5 mm (25mmL)
	6pc	3mm (75mmL); 3.5mm (100mmL); 4mm (100mmL); 5.5mm (125mmL); 6.5mm (150mmL); 8mm (175mmL)

14pc Screwdriver set



2143

6/7.9/8.9/1.3'

1370g

	2pc	PZ.1; PZ.2 (25mmL)
	4pc	PZ.0 (60mmL); PZ.1 (80mmL); PZ.2 (100mmL); PZ.3 (150mmL)
	2pc	5.5; 6.5 mm (25mmL)
	6pc	3mm (75mmL); 3.5mm (100mmL); 4mm (100mmL); 5.5mm (125mmL); 6.5mm (150mmL); 8mm (175mmL)

14pc Screwdriver set


21410

4/9.1/10.1/1.3'

2310g

	1pc	PH.2 (25mmL)
	4pc	PH.0 (60mmL); PH.1 (80mmL); PH.2 (100mmL); PH.3 (150mmL)
	1pc	6.5mm (25mmL)
	5pc	3mm (75mmL); 4mm (100mmL); 5.5mm (125mmL); 6.5mm (150mmL); 8mm (175mmL)
	1pc	Hammer 10mm (200mmL)
	1pc	Insulated 5.5mm (125mmL)
	1pc	Demagnetizer / Magnetizer (88601)

6pc Hammer screwdriver set


2069

10/12.0/13.0/1.3'

1225g

	3pc	PH.1 (80mmL); PH.2 (100mmL); PH.3 (150mmL)
	3pc	5.5mm (125mmL) 6.5; 8mm (150mmL)

6pc Hammer screwdriver set


20610A

10/14.4/15.4/1.3'

1440g

	1pc	PH.2 (100mmL)
	5pc	5.5mm (125mmL); 6.5mm (150mmL); 8mm (150mmL); 10mm (200mmL); 12mm (200mmL)

7pc Hammer screwdriver set



20714

10/14.7/15.7/1.3' $\triangle$ 1200g

	3pc	PH.1 (80mmL); PH.2 (100mmL); PH.3 (150mmL)
	4pc	5.5mm (125mmL); 6.5mm (150mmL); 8mm (150mmL); 10mm (200mmL)

10pc Hammer screwdriver set



2108

6/15.4/16.4/1.3' $\triangle$ 2400g

	4pc	PH.1 (80mmL); PH.2 (100mmL); PH.3 (150mmL); PH.4 (200mmL)
	6pc	5.5mm (125mmL); 6.5mm (150mmL); 8mm (150mmL); 10mm (200mmL); 12mm (200mmL); 14mm (250mmL)

10pc Hammer screwdriver set



2109

6/15.2/16.2/1.3' $\triangle$ 2400g

	4pc	PZ.1 (80mmL); PZ.2 (100mmL); PZ.3 (150mmL); PZ.4 (200mmL)
	6pc	5.5mm (125mmL); 6.5mm (150mmL); 8mm (150mmL); 10mm (200mmL); 12mm (200mmL); 14mm (250mmL)

8pc Hex screwdriver set




20810

10/9.4/10.4/0.95' $\triangle$ 880g

	8pc	2; 2.5; 3; 4; 5 mm (100mmL) 6mm (125mmL); 8mm (150mmL); 10mm (150mmL)
---	-----	---

8pc Hex ball screwdriver set


20810B

10/9.2/10.2/0.95' 860g



8pc

2; 2.5; 3; 4; 5 mm (100mmL)
6mm (125mmL); 8mm (150mmL);
10mm (150mmL)

4pc Star screwdriver set


2044

60/9.0/10.0/2.2' 150g



4pc

T6; T7; T8; T9 (100mmL)

2044S

60/9.0/10.0/2.2' 150g



4pc

T6; T7; T8; T9 (60mmL)

4pc Star screwdriver set


2048

30/12.1/13.1/2.2' 403g



4pc

T15 (80mmL); T20 (100mmL);
T25 (100mmL); T30 (115mmL)

6pc Star screwdriver set


2061

30/17.1/18.1/2.2' 593g



6pc

T10; T15 (80mmL)
T20; T25 (100mmL)
T27; T30 (115mmL)

8pc Star screwdriver set


2086


10/7.9/8.9/0.95' 750g



8pc

T8 (60mmL); T10 (80mmL); T15 (80mmL);
T20 (100mmL); T25 (100mmL);
T27 (115mmL); T30 (115mmL); T40 (130mmL)

11pc Star screwdriver set



2119

20/19.7/20.7/2.5' 1010g

	11pc	T6; T7; T8; T9 (60mmL)
		T10; T15 (80mmL)
		T20; T25 (100mmL)
		T27; T30 (115mmL)
		T40 (130mmL)

13pc Star screwdriver set




2137

6/7.5/8.5/1.3' 1283g

	13pc	T5; T6; T7; T8; T9 (60mmL)
		T10; T15 (80mmL)
		T20; T25 (100mmL)
		T27; T30 (115mmL)
		T40; T45 (130mmL)

7pc Extra-long star screwdriver set



20719

10/9.5/10.5/1.3' 1030g

	7pc	T10; T15; T20; T25; T27; T30; T40 (300mmL)
---	-----	--

4pc Star tamperproof screwdriver set



2044ST

60/9.0/10.0/2.2' 150g

	4pc	T-6H; T-7H; T-8H; T-9H (60mmL)
---	-----	--------------------------------

4pc Star tamperproof screwdriver set


2048T

30/12.1/13.1/2.2' 403g

	4pc	T-15H (80mmL); T-20H (100mmL);
		T-25H (100mmL); T-30H (115mmL)

6pc Star tamperproof screwdriver set


2061T

30/12.5/13.5/2.2' 415g

	6pc	T-10H; T-15H (80mmL)
		T-20H; T-25H (100mmL)
		T-27H; T-30H (115mmL)

8pc Star tamperproof screwdriver set


2086T

10/7.9/8.9/0.95' 750g

	8pc	T-8H (60mmL); T-10H (80mmL);
		T-15H (80mmL); T-20H (100mmL);
		T-25H (100mmL); T-27H (115mmL);
		T-30H (115mmL); T-40H (130mmL)

11pc Star tamperproof screwdriver set


2119T

20/19.7/20.7/2.5' 1010g

	11pc	T-6H; T-7H; T-8H; T-9H (60mmL)
		T-10H; T-15H (80mmL)
		T-20H; T-25H (100mmL)
		T-27H; T-30H (115mmL)
		T-40H (130mmL)

13pc Star tamperproof screwdriver set


2137T

6/7.5/8.5/1.3' 1217g

	13pc	T-5H; T-6H; T-7H; T-8H; T-9H (60mmL)
		T-10H; T-15H (80mmL)
		T-20H; T-25H (100mmL)
		T-27H; T-30H (115mmL)
		T-40H; T-45H (130mmL)

7pc Five-sided star tamperproof screwdriver set



20717

10/8.4/9.4/1.3' 1300g

	13pc	TS10; TS15; TS20; TS25; TS27 (150mmL)
		TS30; TS40 (150mmL)

6pc Hex socket driver set



20612

10/10.9/11.9/1.3' 1136g

	6pc	6; 7; 8; 10; 12; 13 mm (135mmL)
---	-----	---------------------------------

13pc Hex socket driver set



2134

6/12.6/13.6/1.3' 1833g

	13pc	4; 4.5; 5; 5.5; 6; 7; 8; 9; 10 mm (135mmL)
		11; 12; 13; 14 mm (135mmL)

6pc Extra-long screwdriver set



20611

10/11.5/12.5/2' 1150g

	2pc	PH.1; PH.2 (350mmL)
	4pc	4; 5; 6; 8 mm (300mmL)

7pc Insulated screwdriver set


20712N

10/6.2/7.2/0.95' 640g

	2pc	PH.1 (80mmL); PH.2 (100mmL)
	4pc	3mm (100mmL); 4mm (100mmL); 5.5mm (125mmL); 6.5mm (150mmL)
	1pc	Adjustable non-contact wire tracer (88407)

7pc Insulated screwdriver set


20715N

10/6.2/7.2/0.95' 600g

	2pc	PH.1 (80mmL); PH.2 (100mmL)
	5pc	2.5mm (75mmL); 3mm (100mmL); 4mm (100mmL); 5.5mm (125mmL); 6.5mm (150mmL)

7pc Insulated screwdriver set


20718N

10/5.9/6.9/0.95' 675g

	2pc	PH.1 (80mmL); PH.2 (100mmL)
	4pc	2.5mm (75mmL); 3.5mm (100mmL); 5.5mm (125mmL); 6.5mm (150mmL)
	1pc	Screwdriver probe voltage tester (88411)

9pc Insulated screwdriver set


20916N

10/7.5/8.5/1.3' 1400g

	2pc	PH.1 (80mmL); PH.2 (100mmL)
	6pc	2.5mm (75mmL); 3mm (100mmL); 3.5mm (100mmL); 4mm (100mmL); 5.5mm (125mmL); 6.5mm (150mmL)
	1pc	Screwdriver probe voltage tester (88411)

12pc Insulated screwdriver set



2125N

6/7.5/8.5/1.3'

1250g

	4pc	PH.0 (60mmL); PH.1 (80mmL); PH.2 (100mmL); PH.3 (150mmL)
	7pc	2.5mm (75mmL); 3mm (100mmL); 3.5mm (100mmL); 4mm (100mmL); 5.5mm (125mmL); 6.5mm (150mmL); 8mm (175mmL)
	1pc	Adjustable non-contact wire tracer (88407)

12pc Insulated screwdriver set



2126N

6/7.4/8.4/1.3'

1083g

	4pc	PZ.0 (60mmL); PZ.1 (80mmL); PZ.2 (100mmL); PZ.3 (150mmL)
	7pc	2.5mm (75mmL); 3mm (100mmL); 3.5mm (100mmL); 4mm (100mmL); 5.5mm (125mmL); 6.5mm (150mmL); 8mm (175mmL)
	1pc	Adjustable non-contact wire tracer (88407)

6pc Insulated hex socket driver set




20612N

10/10.5/11.5/1.3'

1060g

	6pc	6; 7; 8; 10; 12; 13 mm (125mmL)
---	-----	---------------------------------

9pc Insulated hex socket driver set



20917

6/9.2/10.2/1.3'

1833g

	9pc	5; 6; 7; 8; 9; 10; 11; 12; 13 mm (125mmL)
---	-----	---

75pc Screwdriver set


2751

2/15/16/1.4'

8200g

	10pc	Each	5pcs PH.1; PH.2 (25mmL)
	15pc	Each	5pcs PH.0 (60mmL); PH.1 (80mmL); PH.3 (150mmL)
	10pc	Each	10pcs PH.2 (100mmL)
	10pc	Each	5pcs 5.5; 6.5 mm (25mmL)
	30pc	Each	5pcs 3mm (75mmL); 3.5mm (100mmL); 4mm (100mmL); 5.5mm (125mmL); 6.5mm (150mmL); 8mm (175mmL)

75pc Screwdriver set


2752

2/15.9/16.9/1.4'

8200g

	10pc	Each	5pcs PZ.1; PZ.2 (25mmL)
	15pc	Each	5pcs PZ.0 (60mmL); PZ.1 (80mmL); PZ.3 (150mmL)
	10pc	Each	10pcs PZ.2 (100mmL)
	10pc	Each	5pcs 5.5; 6.5 mm (25mmL)
	30pc	Each	5pcs 3mm (75mmL); 3.5mm (100mmL); 4mm (100mmL); 5.5mm (125mmL); 6.5mm (150mmL); 8mm (175mmL)

75pc Star screwdriver set


2753

2/15.0/16.0/1.4'

8200g

	55pc	Each	5pcs T5; T6; T7; T8; T9 (60mmL) T20; T25 (100mmL) T27; T30 (115mmL) T40; T45 (130mmL)
	20pc	Each	10pcs T10; T15 (80mmL)

75pc Star tamperproof screwdriver set


2753T

2/16.4/17.4/1.4'

8200g

	55pc	Each	5pcs T-5H; T-6H; T-7H; T-8H; T-9H (60mmL) T-20H; T-25H (100mmL) T-27H; T-30H (115mmL) T-40H; T-45H (130mmL)
	20pc	Each	10pcs T-10H; T-15H (80mmL)

8pc Jeweler screwdriver set



2087A

 40/11.5/12.5/1.3'  287g

	3pc	PH.00; PH.0; PH.1 (75mmL)
	5pc	2.0; 2.5; 3.0; 3.5; 4.0 mm (75mmL)

11pc Jeweler screwdriver set



2106A

 20/13.5/14.5/2.4'  675g

	3pc	PH.000; PH.00; PH.0 (40mmL)
	5pc	1.2; 1.5; 1.8; 2.0; 2.5 mm (40mmL)
	1pc	5.5"(140mm)
	1pc	4.7"(118mm)
	1pc	5.5"(140mm) (6945140)

8pc Star jeweler screwdriver set



2088A

 40/11.0/12.0/1.3'  270g

	4pc	T5; T6; T7; T8 (40mmL)
	4pc	T9; T10; T15; T20 (75mmL)

8pc Star tamperproof jeweler screwdriver set



2088AT

40/10.8/11.8/1.3' 270g



4pc	T-5H; T-6H; T-7H; T-8H (40mmL)
4pc	T-9H; T-10H; T-15H; T-20H (75mmL)

17pc Jeweler screwdriver & (de-)magnetizer set


T2173A

6/3.1/4.1/0.72' 586g



2pc	PH.000; PH.00 (40mmL)
-----	-----------------------



6pc	1.0; 1.2; 1.5; 1.8; 2.0; 2.5 mm (40mmL)
-----	---



4pc	T5; T6; T7; T8 (40mmL)
-----	------------------------



3pc	T-5H; T-6H; T-7H (40mmL)
-----	--------------------------



1pc	5.5"(140mm) (6945140)
-----	-----------------------



1pc	Demagnetizer / Magnetizer (88601)
-----	-----------------------------------

7pc Hex key set (folding)


5076F

100/15.0/16.0/1.6' 150g



7pc	1.5; 2; 2.5; 3; 4; 5; 6 mm
-----	----------------------------

7pc Hex key set


5076

100/9.4/10.4/1' 100g



7pc	1.5; 2; 2.5; 3; 4; 5; 6 mm
-----	----------------------------

7pc Long hex key set




5076L

100/12.0/13.0/1'  120g

 7pc 1.5; 2; 2.5; 3; 4; 5; 6 mm

7pc Extra long hex key set



5076XL

100/15.2/16.2/1.2'  150g

 7pc 1.5; 2; 2.5; 3; 4; 5; 6 mm

7pc Hex key set (folding)



5072F

40/17.0/18.0/1.2'  425g

 7pc 2.5; 3; 4; 5; 6; 8; 10 mm

7pc Hex key set



5072

60/16.2/17.2/1.1'  270g

 7pc 2.5; 3; 4; 5; 6; 8; 10 mm

7pc Long hex key set



5072L

50/18.5/19.5/1'  370g

 7pc 2.5; 3; 4; 5; 6; 8; 10 mm


7pc Extra long hex key set


5072XL

40/18.2/19.2/1.1' 450g

7pc 2.5; 3; 4; 5; 6; 8; 10 mm

9pc Hex key set


5093

50/15.1/16.1/1.3' 300g

9pc 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10 mm

9pc Long hex key set


5093L

50/20.8/21.8/2.2' 416g

9pc 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10 mm


9pc Extra long hex key set


5093XL

40/20.1/21.1/2.1' 502g

9pc 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10 mm


10pc Hex key set


5102

50/15.3/16.3/1.3' 306g

10pc 1.27; 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10 mm

10pc Long hex key set



5102L

50/20.9/21.9/2.2'  418g

 10pc 1.27; 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10 mm

10pc Extra long hex key set




5102XL

40/20.1/21.1/2.1'  502g

 10pc 1.27; 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10 mm

11pc Hex key set




5116

40/21.7/22.7/1.5'  542g

 11pc 1.5; 2; 2.5; 3; 4; 5; 6; 7; 8; 10; 12 mm

11pc Long hex key set



5116L

30/22.6/23.6/2'  743g

 11pc 1.5; 2; 2.5; 3; 4; 5; 6; 7; 8; 10; 12 mm

11pc Extra long hex key set




5116XL

30/27.3/28.3/2.4'  870g

 11pc 1.5; 2; 2.5; 3; 4; 5; 6; 7; 8; 10; 12 mm

13pc Hex key set


5137

12/24.0/25.0/1.66" 1950g

13pc 2; 2.5; 3; 4; 5; 6; 7; 8; 10; 12; 14; 17; 19 mm

13pc Extra long hex key set


5137XL

6/19.1/20.1/0.95" 3030g

13pc 2; 2.5; 3; 4; 5; 6; 7; 8; 10; 12; 14; 17; 19 mm

7pc Hex key set (folding) (SAE)


5076FS

100/15.0/16.0/1.6" 150g

7pc 1/16"; 5/64"; 3/32"; 1/8"; 5/32"; 3/16"; 1/4"

7pc Hex key set (SAE)


5076S

100/9.6/10.6/1.1" 100g

7pc 1/16"; 5/64"; 3/32"; 1/8"; 5/32"; 3/16"; 1/4"

7pc Hex key set (folding) (SAE)


5072FS

40/17.0/18.0/1.2" 425g

7pc 3/32"; 1/8"; 5/32"; 3/16"; 1/4"; 5/16"; 3/8"

7pc Hex key set (SAE)



5072S

60/15.7/16.7/1.1' 261g

		7pc	3/32"; 1/8"; 5/32"; 3/16"; 1/4"; 5/16"; 3/8"
--	--	-----	--

7pc Long hex key set (SAE)



5072LS

50/17.8/18.8/1' 356g

		7pc	3/32"; 1/8"; 5/32"; 3/16"; 1/4"; 5/16"; 3/8"
--	--	-----	--

7pc Extra long hex key set (SAE)




5072XLS

40/17.5/18.5/1.1' 458g

		7pc	3/32"; 1/8"; 5/32"; 3/16"; 1/4"; 5/16"; 3/8"
--	--	-----	--

9pc Hex key set (SAE)




5093S

50/14.6/15.6/1.3' 292g

		9pc	1/16"; 5/64"; 3/32"; 1/8"; 5/32"; 3/16"; 1/4"; 5/16"; 3/8"
--	--	-----	---

9pc Long hex key set (SAE)



5093LS

50/20.2/21.2/2.2' 400g

		9pc	1/16"; 5/64"; 3/32"; 1/8"; 5/32"; 3/16"; 1/4"; 5/16"; 3/8"
--	--	-----	---


9pc Extra long hex key set (SAE)


5093XLS

40/19.5/20.5/2.1' 502g

	9pc	1/16"; 5/64"; 3/32"; 1/8"; 5/32"; 3/16"; 1/4"; 5/16"; 3/8"
--	-----	---


10pc Hex key set (SAE)


5109S

60/31.5/32.5/2.5' 450g

	10pc	1/16"; 5/64"; 3/32"; 1/8"; 5/32"; 3/16"; 1/4"; 5/16"; 3/8"; 1/2"
--	------	---

13pc Hex key set (SAE)


5137S

12/23.4/24.4/1.66' 1950g

	13pc	1/16"; 5/64"; 3/32"; 1/8"; 5/32"; 3/16"; 1/4"; 5/16"; 3/8"; 1/2"; 9/16"; 5/8"; 3/4"
--	------	--


13pc Extra long hex key set (SAE)


5137XLS

6/18.4/19.4/0.95' 3030g

	13pc	1/16"; 5/64"; 3/32"; 1/8"; 5/32"; 3/16"; 1/4"; 5/16"; 3/8"; 1/2"; 9/16"; 5/8"; 3/4"
--	------	--

14pc Jumbo hex key set (S&M)



5146

4/15.5/16.5/0.85' 3884g

	8pc	8; 10; 12; 13; 14; 16; 17; 19 (3/4") mm
	6pc	5/16"; 3/8"; 7/16"; 1/2"; 9/16"; 5/8"

7pc Hex ball point key set (folding)



5072BF

40/17.0/18.0/1.2' 425g

	7pc	2.5; 3; 4; 5; 6; 8; 10 mm
--	-----	---------------------------

7pc Long hex ball point key set



5072LB

50/18.5/19.5/1' 370g

	7pc	2.5; 3; 4; 5; 6; 8; 10 mm
--	-----	---------------------------

7pc Extra long hex ball point key set



5072XLB

40/18.2/19.2/1.1' 455g

	7pc	2.5; 3; 4; 5; 6; 8; 10 mm
--	-----	---------------------------

9pc Long hex ball point key set



5093LB

50/20.6/21.6/2.2' 416g

	9pc	1.5; 2; 2.5; 3; 4; 5; 6; 8; 10 mm
--	-----	-----------------------------------

9pc Extra long hex ball point key set


5093XLB

40/20.0/21.0/2.1' 500g

9pc 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10 mm

10pc Long hex ball point key set


5102LB

50/20.9/21.9/2.2' 418g

10pc 1.27; 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10 mm


10pc Extra long hex ball point key set


5102XLB

40/20.9/21.9/2.1' 522g

10pc 1.27; 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10 mm

11pc Long hex ball point key set


5116LB

30/22.3/23.3/2' 743g

11pc 1.5; 2; 2.5; 3; 4; 5; 6; 7; 8; 10; 12 mm

11pc Extra long hex ball point key set


5116XLB

30/26.0/27.0/2.4' 865g

11pc 1.5; 2; 2.5; 3; 4; 5; 6; 7; 8; 10; 12 mm

7pc Long hex ball point key set (SAE)



5072LBS

50/17.8/18.8/1' 356g

			7pc	3/32"; 1/8"; 5/32"; 3/16"; 1/4"; 5/16"; 3/8"
--	--	--	-----	--

7pc Extra long hex ball point key set (SAE)




5072XLBS

40/17.5/18.5/1.1' 438g

			7pc	3/32"; 1/8"; 5/32"; 3/16"; 1/4"; 5/16"; 3/8"
--	--	--	-----	--

9pc Long hex ball point key set (SAE)



5093LBS

50/20.1/21.1/2.2' 402g

			9pc	1/16"; 5/64"; 3/32"; 1/8"; 5/32"; 3/16"; 1/4"; 5/16"; 3/8"
--	--	--	-----	---

9pc Extra long hex ball point key set (SAE)



5093XLBS

40/20.1/21.1/2.1' 502g

			9pc	1/16"; 5/64"; 3/32"; 1/8"; 5/32"; 3/16"; 1/4"; 5/16"; 3/8"
--	--	--	-----	---

10pc Extra long hex ball point key set (SAE)



5109XLBS

30/24.5/25.5/2.4' 816g

			10pc	1/16"; 5/64"; 3/32"; 1/8"; 5/32"; 3/16"; 1/4"; 5/16"; 3/8"; 1/2"
--	--	--	------	---

8pc Star key set (folding)


5087F

100/13.0/14.0/1.6' 130g



8pc

T5; T6; T7; T8; T9; T10; T15; T20

6pc Star key set


5063

48/24.3/25.3/0.9' 500g



6pc

T40; T45; T47; T50; T55; T60

7pc Star key set


5071

80/11.0/12.0/0.87' 138g



7pc

T10; T15; T20; T25; T27; T30; T40

8pc Star key set (folding)


5083F

40/13.5/14.5/1.2' 338g



8pc

T9; T10; T15; T20; T25; T27; T30; T40

9pc Star key set


5091


30/14.3/15.3/0.9' 472g



9pc

T10; T15; T20; T25; T27; T30; T40; T45; T50
(766 10K...50K)

9pc Star key set




5098

80/21.0/22.0/1.8' 263g

		9pc	T10; T15; T20; T25; T27; T30; T40; T45; T50
--	--	-----	---

9pc Long star key set



5098L

50/19.1/20.1/2.2' 364g

		9pc	T10; T15; T20; T25; T27; T30; T40; T45; T50
--	--	-----	---

9pc Extra long star key set



5098XL

40/19.8/20.8/2.1' 450g

		9pc	T10; T15; T20; T25; T27; T30; T40; T45; T50
--	--	-----	---

9pc Long star key set



5099L

30/22.0/23.0/0.7' 736g

		9pc	T20; T25; T27; T30; T40; T45; T50; T55; T60
--	--	-----	---

15pc Star key set



5151

20/13.4/14.4/1.2' 670g

		15pc	T6; T7; T8; T9; T10; T15; T20; T25; T27; T30; T40; T45; T50; T55; T60
--	--	------	--

15pc Long star key set


5151L

20/20.5/21.5/2.9' 1025g

	15pc	T6; T7; T8; T9; T10; T15; T20; T25; T27;
		T30; T40; T45; T50; T55; T60

9pc Long star & star ball point key set


5098LB

50/18.2/19.2/2.2' 364g

	9pc	T10; T15; T20; T25; T27; T30; T40; T45; T50
--	-----	---

8pc Star tamperproof key set (folding)


5087TF

100/13.0/14.0/1.6' 130g

	8pc	T-5H; T-6H; T-7H; T-8H; T-9H; T-10H;
		T-15H; T-20H

6pc Star tamperproof key set


5063T

48/24.3/25.3/0.9' 500g

	6pc	T-40H; T-45H; T-47H; T-50H; T-55H; T-60H
--	-----	--

7pc Star tamperproof key set


5071T

80/11.0/12.0/0.87' 138g

	7pc	T-10H; T-15H; T-20H; T-25H; T-27H; T-30H; T-40H
--	-----	---

8pc Star tamperproof key set (folding)



5083TF

40/13.5/14.5/1.2' Δ 338g



8pc

T-9H; T-10H; T-15H; T-20H; T-25H; T-27H;
T-30H; T-40H

9pc Star tamperproof key set



5092


30/14.1/15.1/0.9' Δ 470g



9pc

T-10H; T-15H; T-20H; T-25H; T-27H; T-30H;
T-40H; T-45H; T-50H (767 10KG...50KG)

9pc Star tamperproof key set



5098T

80/20.9/21.9/1.8' Δ 265g



9pc

T-10H; T-15H; T-20H; T-25H; T-27H; T-30H;
T-40H; T-45H; T-50H

9pc Long star tamperproof key set



5098LT

50/19.1/20.1/2.2' Δ 388g



9pc

T-10H; T-15H; T-20H; T-25H; T-27H; T-30H;
T-40H; T-45H; T-50H

9pc Extra long star tamperproof key set



5098XLT

40/19.8/20.8/2.1' Δ 450g



9pc

T-10H; T-15H; T-20H; T-25H; T-27H; T-30H;
T-40H; T-45H; T-50H

9pc Long star tamperproof key set


5099LT

30/21.8/22.8/0.7' 733g



9pc

T-20H; T-25H; T-27H; T-30H; T-40H; T-45H;
T-50H; T-55H; T-60H

15pc Star tamperproof key set


5151T

20/11.7/12.7/1.2' 585g



15pc

T-6H; T-7H; T-8H; T-9H; T-10H; T-15H;
T-20H; T-25H; T-27H; T-30H; T-40H; T-45H;
T-50H; T-55H; T-60H

15pc Long star tamperproof key set


5151LT


20/20.3/21.3/2.9' 1015g



15pc

T-6H; T-7H; T-8H; T-9H; T-10H; T-15H;
T-20H; T-25H; T-27H; T-30H; T-40H; T-45H;
T-50H; T-55H; T-60H

9pc Five-sided star tamperproof key set


50913

80/20.7/21.7/1.9' 259g



9pc

TS10; TS15; TS20; TS25; TS27; TS30; TS40;
TS45; TS50

5pc Spline key set



5501

30/15.5/16.5/0.9' 516g

5pc M5; M6; M8; M10; M12 (768 05K...12K)

30pc L key and five-sided star tamperproof bit set



T5303

6/6.7/7.7/0.65' 1116g

		10pc	1/4" TS8; TS10; TS15; TS20; TS25; TS27; TS30; TS40; TS45; TS50 (25mmL) (21013)
		1pc	1/4"DR.x1/4"(F)
		10pc	1.27; 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10 mm (5102XLB)
		9pc	T10; T15; T20; T25; T27; T30; T40; T45; T50 (5098XL)

29pc L key and five-sided star tamperproof bit set (SAE)



T5303S

6/7.0/8.0/0.65' 1162g

		10pc	1/4" TS8; TS10; TS15; TS20; TS25; TS27; TS30; TS40; TS45; TS50 (25mmL) (21013)
		1pc	1/4"DR.x1/4"(F)
		9pc	1/16"; 5/64"; 3/32"; 1/8"; 5/32"; 3/16"; 1/4"; 5/16"; 3/8" (5093XLBS)
		9pc	T10; T15; T20; T25; T27; T30; T40; T45; T50 (5098XL)

6pc Hex & hex ball point grip key set



50637

10/6.0/7.0/1.3' 612g

6pc 2; 3; 4; 5; 6; 8 mm

10pc Hex & hex ball point grip key set



5106B

6/8.2/9.2/1.3"

1366g

10pc 2; 2.5; 3; 4; 5; 6; 7; 8; 10; 12 mm

9pc Hex & hex ball point grip key set (SAE)


50910BS

6/7.7/8.7/1.3"

1330g

9pc 5/64"; 3/32"; 1/8"; 5/32"; 3/16"; 1/4"; 5/16"; 3/8"; 1/2"

6pc Star & star tamperproof grip key set


50636

10/5.3/6.3/1.3"

552g

6pc T10xT-10H; T15xT-15H; T20xT-20H; T25xT-25H; T27xT-27H; T30xT-30H

10pc Star & star tamperproof grip key set


51010T

6/9.0/10.0/1.3"

1533g

10pc T10xT-10H; T15xT-15H; T20xT-20H; T25xT-25H; T27xT-27H; T30xT-30H; T40xT-40H; T45xT-45H; T50xT-50H; T55xT-55H

5pc T-handle hex key set



2057

10/5.2/6.2/0.69'

330g

	5pc	3; 4; 5; 6; 8 mm
---	-----	------------------

9pc T-handle hex key set



2097

6/7.3/8.3/1.3'

1166g

	9pc	2; 2.5; 3; 4; 5; 6; 7; 8; 10 mm
---	-----	---------------------------------

2097S

6/7.3/8.3/1.3'

1166g

	9pc	3/32"; 7/64"; 1/8"; 5/32"; 3/16"; 7/32"; 1/4"; 5/16"; 3/8"
---	-----	--

9pc T-handle hex ball point key set



2097B

6/7.4/8.4/1.3'

1166g

	9pc	2; 2.5; 3; 4; 5; 6; 7; 8; 10 mm
---	-----	---------------------------------

5pc T-handle star key set



2058

10/3.3/4.3/0.69'

520g

	5pc	T10; T15; T20; T25; T30
---	-----	-------------------------

14pc T-handle star key set


2141

6/9.1/10.1/1.8' 1415g

	14pc	T6; T7; T8; T9; T10; T15; T20; T25; T27;
		T30; T40; T45; T50; T55

14pc T-handle star tamperproof key set


2141T

6/9.2/10.2/1.8' 1415g

	14pc	T-6H; T-7H; T-8H; T-9H; T-10H; T-15H;
		T-20H; T-25H; T-27H; T-30H; T-40H; T-45H;
		T-50H; T-55H

5pc T-handle hex socket driver set


2059

10/10.6/11.6/1.3' 1090g

	5pc	7; 8; 10; 12; 13 mm (300mmL)
--	-----	------------------------------

9pc T-handle hex socket driver set


2095

6/11.5/12.5/1.8' 1880g

	9pc	5; 6; 7; 8; 9; 10; 11; 12; 13 mm (300mmL)
--	-----	---

2095S

6/11.9/12.9/1.8' 1750g

	9pc	3/16"; 1/4"; 9/32"; 5/16"; 11/32"; 3/8"; 7/16";
		1/2"; 9/16" (300mmL)

9pc T-handle star socket driver set



2096

6/10.8/11.8/1.8' 1750g

9pc E4; E5; E6; E7; E8; E10; E12; E14; E16 (260mmL)

6pc 3-Way T-shaped hex key set



50638

20/9.6/10.6/1.5' 380g

6pc 2; 2.5; 3; 4; 5; 6 mm

6pc 3-Way T-shaped hex key set




50639

10/10.8/11.8/1.3' 1020g

6pc 3; 4; 5; 6; 8; 10 mm

9pc 3-Way T-shaped hex key set



50912

6/8.3/9.3/1.3' 1406g

9pc 2; 2.5; 3; 4; 5; 6; 7; 8; 10 mm

6pc Adjustable 3-way T-shaped hex key set


50638A

20/7.8/8.8/1.5"

380g



6pc

2; 2.5; 3; 4; 5; 6 mm

6pc Adjustable 3-way T-shaped hex key set


50639A

10/10.2/11.2/1.3"


1020g



6pc

3; 4; 5; 6; 8; 10 mm

9pc Adjustable 3-way T-shaped hex key set


50919

6/10.1/11.1/1.3"


1750g



9pc

2; 2.5; 3; 4; 5; 6; 8; 10; 12 mm

8pc T-shaped hex socket driver set


50652

10/22.0/23.0/1.3"


2264g



8pc

6; 7; 8; 9; 10; 11; 12; 13 mm (300mmL)

8pc Long universal socket driver set


50816

6/24.7/25.7/2.8"

4030g



8pc

1/4"DR. 7; 8 mm (400mmL)

3/8"DR. 10; 12; 13 mm (450mmL)

14; 17 mm (500mmL)

1/2"DR. 19 mm (500mmL)

1/4" Phillips bit



121		<i>l</i>		
Part no.	size	mm	g	pc/bag
121250	PH.0	25	4	10
121251	PH.1	25	4	10
121252	PH.2	25	6	10
121253	PH.3	25	6	10
121300	PH.0	30	6	10
121301	PH.1	30	6	10
121302	PH.2	30	6	10
121303	PH.3	30	6	10
121304	PH.4	30	6	10
121501	PH.1	50	12	10
121502	PH.2	50	12	10
121503	PH.3	50	13	10

1/4" Double-sized phillips bit



121D		<i>l</i>		
Part no.	size	mm	g	pc/bag
121D12	PH.1xPH.2	165	40	10
121D34	PH.3xPH.4	165	42	10

1/4" Pozidriv bit



122		<i>l</i>		
Part no.	size	mm	g	pc/bag
122250	PZ.0	25	4	10
122251	PZ.1	25	4	10
122252	PZ.2	25	6	10
122253	PZ.3	25	6	10
122300	PZ.0	30	6	10
122301	PZ.1	30	6	10
122302	PZ.2	30	6	10
122303	PZ.3	30	6	10
122304	PZ.4	30	6	10
122501	PZ.1	50	12	10
122502	PZ.2	50	12	10
122503	PZ.3	50	13	10

1/4" Double-sized pozidriv bit



122D		<i>l</i>		
Part no.	size	mm	g	pc/bag
122D12	PZ.1xPZ.2	165	41	10
122D34	PZ.3xPZ.4	165	42	10

1/4" Slotted bit



123		<i>l</i>		
Part no.	size	mm	g	pc/bag
1232503	0.5x3	25	4	10
1232504	0.8x4	25	4	10
1232505	0.8x5	25	4	10
12325055	1.0x5.5	25	4	10
12325065	1.2x6.5	25	4	10
1233004	0.8x4	30	6	10
1233005	0.8x5	30	6	10
12330055	1.0x5.5	30	6	10
1233006	1.0x6	30	6	10
12330065	1.2x6.5	30	6	10
1233007	1.2x7	30	6	10
1235003	0.5X3	50	8	10
1235004	0.8X4	50	8	10
1235005	0.8X5	50	8	10
1235006	1.0X6	50	9	10
1235007	1.2X7	50	9	10

1/4" Double-sized slotted bit



123D		<i>l</i>		
Part no.	size	mm	g	pc/bag
123D0304	3mmx4mm	165	39	10
123D05507	5.5mmx7mm	165	41	10

1/4" Hex bit



124		<i>l</i>		
Part no.	size	mm	g	pc/bag
12425015	1.5	25	4	10
1242502	2	25	4	10
12425025	2.5	25	4	10
1242503	3	25	4	10
1242504	4	25	5	10
1242505	5	25	5	10
12425055	5.5	25	5	10
1242506	6	25	5	10
1242507	7	25	6	10
1242508	8	25	6	10
1242510	10	25	8	10
124251.16	1/16"	25	4	10
124253.32	3/32"	25	4	10
124251.8	1/8"	25	4	10
124255.32	5/32"	25	5	10
124253.16	3/16"	25	4	10
124257.32	7/32"	25	4	10
124251.4	1/4"	25	4	10
124259.32	9/32"	25	4	10
124255.16	5/16"	25	6	10
124253.8	3/8"	25	6	10
12430015	1.5	30	6	10
1243002	2	30	6	10
12430025	2.5	30	6	10
1243003	3	30	6	10
1243004	4	30	7	10
1243005	5	30	8	10
12430055	5.5	30	8	10
1243006	6	30	8	10
1243007	7	30	8	10
1243008	8	30	10	10
1243010	10	30	12	10
124301.8	1/8"	30	6	10
124305.32	5/32"	30	7	10
124303.16	3/16"	30	7	10
124307.32	7/32"	30	8	10
124301.4	1/4"	30	8	10
124305.16	5/16"	30	8	10
124303.8	3/8"	30	12	10

1/4" Double-sized hex bit



124D		<i>l</i>		
Part no.	size	mm	g	pc/bag
124D0304	3mmx4mm	165	40	10
124D0506	5mmx6mm	165	43	10

1/4" Hex ball point bit



125		<i>l</i>		
Part no.	size	mm	g	pc/bag
12525025	2.5	25	4	10
1252503	3	25	4	10
1252504	4	25	4	10
1252505	5	25	6	10
12525055	5.5	25	6	10
1252506	6	25	6	10
125251.8	1/8"	25	4	10
125255.32	5/32"	25	4	10
125253.16	3/16"	25	4	10
125257.32	7/32"	25	6	10
125251.4	1/4"	25	6	10
12530025	2.5	30	6	10
1253003	3	30	6	10
1253004	4	30	6	10
1253005	5	30	8	10
12530055	5.5	30	8	10
1253006	6	30	8	10
125301.8	1/8"	30	6	10
125305.32	5/32"	30	6	10
125303.16	3/16"	30	6	10
125307.32	7/32"	30	8	10
125301.4	1/4"	30	8	10

1/4" Star bit



126		<i>l</i>		
Part no.	size	mm	g	pc/bag
1262504	T4	25	4	10
1262505	T5	25	4	10
1262506	T6	25	4	10
1262507	T7	25	4	10
1262508	T8	25	4	10
1262509	T9	25	4	10
1262510	T10	25	4	10
1262515	T15	25	4	10
1262520	T20	25	4	10
1262525	T25	25	4	10
1262527	T27	25	6	10
1262530	T30	25	6	10
1262535	T35	25	6	10
1262540	T40	25	6	10
1263004	T4	30	6	10
1263005	T5	30	6	10
1263006	T6	30	6	10
1263007	T7	30	6	10
1263008	T8	30	6	10
1263009	T9	30	6	10
1263010	T10	30	6	10
1263015	T15	30	6	10
1263020	T20	30	6	10
1263025	T25	30	6	10
1263027	T27	30	8	10
1263030	T30	30	8	10
1263040	T40	30	8	10
1263045	T45	30	10	10
1263050	T50	30	10	10
1263055	T55	30	12	10
1266525	T25	65	16	10

1/4" Star tamperproof bit



127		<i>l</i>		
Part no.	size	mm	g	pc/bag
1272506	T-6H	25	4	10
1272507	T-7H	25	4	10
1272508	T-8H	25	4	10
1272509	T-9H	25	4	10
1272510	T-10H	25	4	10
1272515	T-15H	25	4	10
1272520	T-20H	25	4	10
1272525	T-25H	25	4	10
1272527	T-27H	25	6	10
1272530	T-30H	25	6	10
1272535	T-35H	25	6	10
1272540	T-40H	25	6	10
1273006	T-6H	30	6	10
1273007	T-7H	30	6	10
1273008	T-8H	30	6	10
1273009	T-9H	30	6	10
1273010	T-10H	30	6	10
1273015	T-15H	30	6	10
1273020	T-20H	30	6	10
1273025	T-25H	30	6	10
1273027	T-27H	30	8	10
1273030	T-30H	30	8	10
1273040	T-40H	30	8	10

1/4" Double-sized star bit



126D		<i>l</i>		
Part no.	size	mm	g	pc/bag
126D0810	T8xT10	165	39	10
126D1520	T15xT20	165	40	10
126D2527	T25xT27	165	41	10
126D3040	T30xT40	165	42	10

1/4" Double-sized star tamperproof bit

NEW


127D		<i>l</i>		
Part no.	size	mm	g	pc/bag
127D1015	T-10HxT-15H	165	38	10
127D2025	T-20HxT-25H	165	40	10
127D2730	T-27HxT-30H	165	42	10
127D3540	T-35HxT-40H	165	42	10

1/4" Five-sided star tamperproof bit



12F		<i>l</i>		
Part no.	size	mm	g	pc/bag
12F2508	TS8	25	4	10
12F2510	TS10	25	4	10
12F2515	TS15	25	4	10
12F2520	TS20	25	4	10
12F2525	TS25	25	4	10
12F2527	TS27	25	4	10
12F2530	TS30	25	4	10
12F2540	TS40	25	4	10
12F2545	TS45	25	6	10
12F2550	TS50	25	8	10

1/4" Spline bit



128		<i>l</i>		
Part no.	size	mm	g	pc/bag
1282504	M4	25	4	10
1282505	M5	25	4	10
1282506	M6	25	6	10
1282508	M8	25	6	10
1282510	M10	25	8	10

1/4" Double-sized five-sided star tamperproof bit

NEW


12FD		<i>l</i>		
Part no.	size	mm	g	pc/bag
12FD0810	TS8 x TS10	165	38	10
12FD1520	TS15 x TS20	165	40	10
12FD2527	TS25 x TS27	165	40	10
12FD3040	TS30 x TS40	165	42	10

1/4" Torq set bit



121S		<i>l</i>		
Part no.	size	mm	g	pc/bag
121S2502	2	25	5	10
121S2504	4	25	5	10
121S2506	6	25	6	10
121S2508	8	25	6	10
121S2510	10	25	6	10
121S251.4	1/4"	25	6	10

1/4" Tri-wing bit



122S		<i>l</i>		
Part no.	size	mm	g	pc/bag
122S2501	1	25	6	10
122S2502	2	25	6	10
122S2503	3	25	6	10
122S2504	4	25	6	10

1/4" Spanner bit



123S		<i>l</i>		
Part no.	size	mm	g	pc/bag
123S2504	4	25	6	10
123S2506	6	25	6	10
123S2508	8	25	6	10
123S2510	10	25	6	10
123S2512	12	25	6	10
123S2514	14	25	6	10

1/4" Hex security bit



124S		<i>l</i>		
Part no.	size	mm	g	pc/bag
124S2502	2	25	6	10
124S25025	2.5	25	6	10
124S2503	3	25	6	10
124S2504	4	25	6	10
124S2505	5	25	6	10
124S2506	6	25	6	10
124S255.64	5/64"	25	6	10
124S253.32	3/32"	25	6	10
124S257.64	7/64"	25	6	10
124S251.8	1/8"	25	6	10
124S259.64	9/64"	25	6	10
124S255.32	5/32"	25	6	10

1/4" Square bit



124R		<i>l</i>		
Part no.	size	mm	g	pc/bag
124R250	0	25	6	10
124R251	1	25	6	10
124R252	2	25	6	10
124R253	3	25	6	10
124R500	0	50	12	10
124R501	1	50	12	10
124R502	2	50	12	10

5/16" Phillips bit



151		<i>l</i>		
Part no.	size	mm	g	pc/bag
151301	PH.1	30	10	10
151302	PH.2	30	10	10
151303	PH.3	30	10	10
151304	PH.4	30	11	10
151321	PH.1	32	10	10
151322	PH.2	32	10	10
151323	PH.3	32	12	10
151361	PH.1	36	13	10
151362	PH.2	36	13	10
151363	PH.3	36	13	10
151384	PH.4	38	14	10
151802	PH.2	80	30	10
151803	PH.3	80	31	10

5/16" Slotted bit



153		<i>l</i>		
Part no.	size	mm	g	pc/bag
15330055	0.8x5.5	30	9	10
1533007	1.2x7	30	10	10
1533008	1.2x8	30	12	10
1533010	1.6x10	30	14	10
1533012	2.0x12	30	14	10
1533609	1.6x9	36	16	10
1533610	1.6x10	36	16	10
1533611	1.8x11	36	16	10
1533612	2.0x12	36	16	10
1538009	1.6x9	80	32	10
1538011	1.8x11	80	33	10

5/16" Pozidriv bit



152		<i>l</i>		
Part no.	size	mm	g	pc/bag
152301	PZ.1	30	10	10
152302	PZ.2	30	10	10
152303	PZ.3	30	10	10
152304	PZ.4	30	10	10
152321	PZ.1	32	10	10
152322	PZ.2	32	10	10
152323	PZ.3	32	12	10
152362	PZ.2	36	13	10
152363	PZ.3	36	13	10
152384	PZ.4	38	14	10
152802	PZ.2	80	30	10
152803	PZ.3	80	31	10

5/16" Hex bit



154		<i>l</i>		
Part no.	size	mm	g	pc/bag
1543003	3	30	8	10
1543004	4	30	9	10
1543005	5	30	10	10
1543006	6	30	11	10
1543007	7	30	12	10
1543008	8	30	12	10
1543010	10	30	16	10
1543012	12	30	21	10
1543014	14	30	25	10
154301.8	1/8"	30	12	10
154305.32	5/32"	30	12	10
154303.16	3/16"	30	12	10
154307.32	7/32"	30	12	10
154301.4	1/4"	30	12	10
154309.32	9/32"	30	13	10
154305.16	5/16"	30	13	10
154303.8	3/8"	30	16	10
154307.16	7/16"	30	18	10
154301.2	1/2"	30	22	10
154309.16	9/16"	30	26	10
1543606	6	36	13	10
1543608	8	36	14	10
1543610	10	36	16	10
1547004	4	70	50	10
1547005	5	70	50	10
1547006	6	70	50	10
1547007	7	70	52	10
1547008	8	70	53	10
1547010	10	70	55	10
1547012	12	70	55	10
1547014	14	70	60	10

5/16" Star bit



156		<i>l</i>		
Part no.	size	mm	g	pc/bag
1563010	T10	30	9	10
1563015	T15	30	9	10
1563020	T20	30	9	10
1563025	T25	30	9	10
1563027	T27	30	9	10
1563030	T30	30	10	10
1563040	T40	30	10	10
1563045	T45	30	11	10
1563050	T50	30	12	10
1563055	T55	30	14	10
1563060	T60	30	24	10
1563520	T20	35	12	10
1563525	T25	35	12	10
1563527	T27	35	12	10
1563530	T30	35	12	10
1563540	T40	35	12	10
1563545	T45	35	12	10
1563550	T50	35	14	10
1563555	T55	35	16	10
1567010	T10	70	30	10
1567015	T15	70	30	10
1567020	T20	70	30	10
1567025	T25	70	30	10
1567027	T27	70	30	10
1567030	T30	70	30	10
1567040	T40	70	30	10
1567045	T45	70	30	10
1567050	T50	70	30	10
1567055	T55	70	40	10
1567060	T60	70	56	10

5/16" Star tamperproof bit



157		<i>l</i>		
Part no.	size	mm	g	pc/bag
1573010	T-10H	30	10	10
1573015	T-15H	30	10	10
1573020	T-20H	30	10	10
1573025	T-25H	30	10	10
1573027	T-27H	30	10	10
1573030	T-30H	30	10	10
1573040	T-40H	30	10	10
1573045	T-45H	30	10	10
1573050	T-50H	30	12	10
1573055	T-55H	30	14	10
1573060	T-60H	30	24	10
1577010	T-10H	70	30	10
1577015	T-15H	70	30	10
1577020	T-20H	70	30	10
1577025	T-25H	70	30	10
1577027	T-27H	70	30	10
1577030	T-30H	70	30	10
1577040	T-40H	70	30	10
1577045	T-45H	70	30	10
1577050	T-50H	70	30	10
1577055	T-55H	70	40	10
1577060	T-60H	70	56	10

10mm Hex bit



174		<i>l</i>		
Part no.	size	mm	g	pc/bag
1743004	4	30	13	10
1743005	5	30	14	10
1743006	6	30	14	10
1743007	7	30	16	10
1743008	8	30	17	10
1743009	9	30	18	10
1743010	10	30	20	10
1743012	12	30	25	10
1743014	14	30	27	10
1747504	4	75	43	10
1747505	5	75	43	10
1747506	6	75	44	10
1747507	7	75	45	10
1747508	8	75	47	10
1747509	9	75	48	10
1747510	10	75	50	10
1747512	12	75	67	10
17412008	8	120	80	10
17412010	10	120	82	10

10mm Square bit



174S		<i>l</i>		
Part no.	size	mm	g	pc/bag
174S3008	8	30	17	10
174S3009	9	30	19	10
174S3010	10	30	20	10
174S3013	13	30	26	10

10mm Star bit



176		<i>l</i>		
Part no.	size	mm	g	pc/bag
1763010	T10	30	12	10
1763015	T15	30	12	10
1763020	T20	30	13	10
1763025	T25	30	13	10
1763027	T27	30	14	10
1763030	T30	30	14	10
1763035	T35	30	14	10
1763040	T40	30	15	10
1763045	T45	30	16	10
1763047	T47	30	20	10
1763050	T50	30	16	10
1763055	T55	30	18	10
1763060	T60	30	22	10
1767510	T10	75	41	10
1767515	T15	75	41	10
1767520	T20	75	42	10
1767525	T25	75	42	10
1767527	T27	75	42	10
1767530	T30	75	43	10
1767535	T35	75	44	10
1767540	T40	75	44	10
1767545	T45	75	45	10
1767547 NEW	T47	75	45	10
1767550	T50	75	45	10
1767555	T55	75	48	10
1767560	T60	75	64	10
1767570	T70	75	64	10
17611555	T55	115	70	10
17612040	T40	120	72	10
17612045	T45	120	72	10
17612050	T50	120	74	10
17612055	T55	120	74	10

10mm Star tamperproof bit



177		<i>l</i>		
Part no.	size	mm	g	pc/bag
1773010	T-10H	30	14	10
1773015	T-15H	30	14	10
1773020	T-20H	30	14	10
1773025	T-25H	30	14	10
1773027	T-27H	30	14	10
1773030	T-30H	30	14	10
1773040	T-40H	30	14	10
1773045	T-45H	30	16	10
1773050	T-50H	30	16	10
1773055	T-55H	30	18	10
1773060	T-60H	30	22	10
1777510	T-10H	75	42	10
1777515	T-15H	75	42	10
1777520	T-20H	75	42	10
1777525	T-25H	75	42	10
1777527	T-27H	75	42	10
1777530	T-30H	75	42	10
1777540	T-40H	75	44	10
1777545	T-45H	75	44	10
1777550	T-50H	75	46	10
1777555	T-55H	75	48	10
1777560	T-60H	75	66	10

10mm Spline bit



178		<i>l</i>		
Part no.	size	mm	g	pc/bag
1783005	M5	30	13	10
1783006	M6	30	14	10
1783007	M7	30	14	10
1783008	M8	30	15	10
1783009	M9	30	16	10
1783010	M10	30	17	10
1783012	M12	30	20	10
1783014	M14	30	25	10
1787504	M4	75	43	10
1787505	M5	75	43	10
1787506	M6	75	43	10
1787507	M7	75	43	10
1787508	M8	75	44	10
1787509	M9	75	46	10
1787510	M10	75	47	10
1787512	M12	75	58	10
1787514	M14	75	82	10
1787516	M16	75	80	10
17812008	M8	120	74	10
17812010	M10	120	77	10
17812012	M12	120	106	10

10mm Ribe bit



179		<i>l</i>		
Part no.	size	mm	g	pc/bag
1793004	M4	30	14	10
1793005	M5	30	14	10
1793006	M6	30	14	10
1793007	M7	30	14	10
1793008	M8	30	14	10
1793009	M9	30	18	10
1793010	M10	30	19	10
1793012	M12	30	20	10
1793013	M13	30	22	10
1793014	M14	30	24	10
1797504	M4	75	42	10
1797505	M5	75	42	10
1797506	M6	75	42	10
1797507	M7	75	42	10
1797508	M8	75	44	10
1797509	M9	75	46	10
17975095 NEW	M9.5	75	46	10
1797510	M10	75	47	10
1797512	M12	75	63	10
1797513	M13	75	78	10
1797514	M14	75	79	10

14mm Star bit



196		<i>l</i>		
Part no.	size	mm	g	pc/bag
1965060	T60	50	56	10
1965070	T70	50	60	10
1967560	T60	75	88	10
1967570	T70	75	93	10

1/4" Adapter



80922		<i>l</i>		
Part no.	size	mm	g	pc/box
80922	1/4" Inhex - 1/4"Sq.	26	18	25

1/4" Extension adapter



80922175		<i>l</i>		
Part no.	size	mm	g	pc/box
80922175	1/4"Hex-1/4"Sq.	175	73	20

1/4" Adapter



8092		<i>l</i>		
Part no.	size	mm	g	pc/box
8092225	1/4"Hex-1/4"Sq.	25	8	10
8092230	1/4"Hex-1/4"Sq.	30	10	10
8092250	1/4"Hex-1/4"Sq.	50	16	50

1/4" Flexible bit holder extension



8112		<i>l</i>		
Part no.	size	mm	g	pc/box
8112	1/4"Hex-1/4"Inhex	175	73	10

5/16" Adapter



8095		<i>l</i>		
Part no.	size	mm	g	pc/box
8095330	5/16"Hex-3/8"Sq.	30	16	20
8095430	5/16"Hex-1/2"Sq.	30	30	10

1/4" Magnetic bit holder extension



812		<i>l</i>		
Part no.	size	mm	g	pc/box
81260	1/4"Hex-1/4"Inhex	60	23	50
812175	1/4"Hex-1/4"Inhex	175	55	20

1/4" Magnetic QR bit holder




81260Q		<i>l</i>		
Part no.	size	mm	g	pc/box
81260Q	1/4"Hex-1/4"Inhex	60	32	10

1/4" Magnetic bit spinner



8144		<i>l</i>		
Part no.	size	mm	g	pc/box
8144	1/4"inhex	215	117	10

1/4" Magnetic QR bit holder



81280Q		<i>l</i>		
Part no.	size	mm	g	pc/box
81280Q	1/4"Hex-1/4"Inhex	75	38	10

- 81280Q with a second magnet to keep screws always straight and centered

1/4" Quick-release bit spinner



8148		<i>l</i>		
Part no.	size	mm	g	pc/box
8148	1/4"inhex	150-6"	105	10

1/4" Mini ratchet bit handle



802214	<i>l</i>		
Part no.	mm	g	pc/box
802214	130	55	10

1/4" Bit driver handle



8152		<i>l</i>		
Part no.	size	mm	g	pc/box
8152	1/4" inhex	125	70	1

Assembly:




1/4" Ratchet bit spinner handle



8152R		<i>l</i>		
Part no.	size	mm	g	pc/box
8152R	1/4" inhex	200	170	1

Assembly:



Pozidriv screwdriver



712		<i>l</i>	<i>l</i>		
Part no.	Tip	blade	over	g	pc/box
7121S	PZ.1	25	75	38	10
7122S	PZ.2	25	75	42	10
7120	PZ.0	60	145	32	10
7121	PZ.1	80	185	79	10
7122	PZ.2	100	215	114	10
7123	PZ.3	150	278	197	10

Phillips screwdriver



711		<i>l</i>	<i>l</i>		
Part no.	Tip	blade	over	g	pc/box
7111S	PH.1	25	75	39	10
7112S	PH.2	25	75	42	10
7110	PH.0	60	145	33	10
7111	PH.1	80	185	79	10
7112	PH.2	100	215	11	10
7113	PH.3	150	275	226	10
7111502	PH.2	150	265	109	10
7112002	PH.2	200	315	121	10

Slotted screwdriver



713		<i>l</i>	<i>l</i>		
Part no.	Tip	blade	over	g	pc/box
713055S	1.0 x 5.5	25	75	36	10
713065S	1.2 x 6.5	25	75	40	10
71303	0.5 x 3	75	160	31	10
713035	0.5 x 3.5	100	185	35	10
71304	0.8 x 4	100	205	58	10
713055	1.0 x 5.5	125	230	65	10
713065	1.2 x 6.5	150	265	132	10
71308	1.2x8	175	300	202	10
713100065	1.2x6.5	100	215	76	10
713200065	1.2x6.5	200	315	121	10

Hammer phillips screwdriver



711...M		<i>l</i>	<i>ℓ</i>		
Part no.	Tip	blade	over	g	pc/box
7111M	PH.1	80	185	96	10
7112M	PH.2	100	215	138	10
7113M	PH.3	150	275	231	10
7114M	PH.4	200	325	329	10
7113004M	PH.4	300	425	396	5

Hammer slotted screwdriver



713...M		<i>l</i>	<i>ℓ</i>		
Part no.	Tip	blade	over	g	pc/box
713055M	5.5	125	230	103	10
713065M	6.5	150	265	154	10
71308M	8	150	275	232	10
71310M	10	200	325	262	10
71312M	12	200	325	329	10
71314M	14	250	375	364	10
71330010M	10	300	425	294	5

Hammer pozidriv screwdriver



712...M		<i>l</i>	<i>ℓ</i>		
Part no.	Tip	blade	over	g	pc/box
7121M	PZ. 1	80	185	88	10
7122M	PZ. 2	100	215	138	10
7123M	PZ. 3	150	275	231	10
7124M	PZ. 4	200	325	316	10
7123004M	PZ. 4	300	425	380	5

Hex screwdriver



714		<i>l</i>	<i>ℓ</i>		
Part no.	Tip	blade	over	g	pc/box
71402	2	100	185	31	10
714025	2.5	100	185	33	10
71403	3	100	185	36	10
71404	4	100	205	66	10
71405	5	100	205	76	10
71406	6	125	240	109	10
71408	8	150	275	174	10
71410	10	150	275	222	10

Hex ball point screwdriver



715		<i>l</i>	<i>l</i>		
Part no.	Tip	blade	over	g	pc/box
71502	2	100	185	27	10
715025	2.5	100	185	29	10
71503	3	100	185	32	10
71504	4	100	205	66	10
71505	5	100	205	76	10
71506	6	125	240	109	10
71508	8	150	275	187	10
71510	10	150	275	221	10

Extra-long star screwdriver



716300		<i>l</i>	<i>l</i>		
Part no.	Tip	blade	over	g	pc/box
71630010	T10	300	405	86	10
71630015	T15	300	405	86	10
71630020	T20	300	405	84	10
71630025	T25	300	405	144	10
71630027	T27	300	415	144	10
71630030	T30	300	415	144	10
71630040	T40	300	415	263	10
71630045	T45	300	427	264	5

Star screwdriver



716		<i>l</i>	<i>l</i>		
Part no.	Tip	blade	over	g	pc/box
71605	T5	60	145	32	10
71606	T6	60	145	32	10
71607	T7	60	145	32	10
71608	T8	60	145	32	10
71609	T9	60	145	32	10
71610	T10	80	185	61	10
71615	T15	80	185	63	10
71620	T20	100	205	65	10
71625	T25	100	205	73	10
71627	T27	115	230	106	10
71630	T30	115	230	107	10
71640	T40	130	245	186	10
71645	T45	130	255	166	10
71618506	T6	100	185	38	10
71618507	T7	100	185	38	10
71618508	T8	100	185	38	10
71618509	T9	100	185	38	10

Star tamperproof screwdriver



717		<i>l</i>	<i>l</i>		
Part no.	Tip	blade	over	g	pc/box
71705	T-5H	60	145	31	10
71706	T-6H	60	145	31	10
71707	T-7H	60	145	33	10
71708	T-8H	60	145	33	10
71709	T-9H	60	145	32	10
71710	T-10H	80	185	62	10
71715	T-15H	80	185	62	10
71720	T-20H	100	205	64	10
71725	T-25H	100	205	73	10
71727	T-27H	115	230	106	10
71730	T-30H	115	230	107	10
71740	T-40H	130	245	151	10
71745	T-45H	130	255	168	10

Five-sided star tamperproof screwdriver



71F		<i>l</i>	<i>L</i>		
Part no.	Tip	blade	over	g	pc/box
71F10	TS10	150	255	62	10
71F15	TS15	150	255	62	10
71F20	TS20	150	255	62	10
71F25	TS25	150	255	73	10
71F27	TS27	150	270	104	10
71F30	TS30	150	270	104	10
71F40	TS40	150	280	146	10

Hex socket driver



744		<i>l</i>	<i>L</i>		
Part no.	Tip	blade	over	g	pc/box
74425004	4	135	250	126	10
744250045	4.5	135	250	126	10
74425005	5	135	250	131	10
744250055	5.5	135	250	136	10
74425006	6	135	250	116	10
74425007	7	135	250	131	10
74425008	8	135	250	134	10
74425009	9	135	250	153	10
74425010	10	135	250	160	10
74425011	11	135	250	194	10
74425012	12	135	250	186	10
74425013	13	135	250	190	10
74425014	14	135	250	234	10
7442503.16	3/16"	135	250	126	10
7442501. 4	1/4"	135	250	141	10
7442505.16	5/16"	135	250	147	10
7442503. 8	3/8"	135	250	188	10
7442507.16	7/16"	135	250	194	10
7442501. 2	1/2"	135	250	207	10
7442509.16	9/16"	135	250	234	10

Adjustment phillips screwdriver



6551		<i>l</i>	<i>L</i>		
Part no.	size	blade	over	g	pc/box
65511	PH.1	350	450	75	10
65512	PH.2	350	450	75	10

Adjustment phillips screwdriver



65512L		<i>l</i>	<i>L</i>		
Part no.	size	blade	over	g	pc/box
65512L	PH.2	400	515	215	10

Adjustment pozidriv screwdriver



65522L		<i>l</i>	<i>L</i>		
Part no.	size	blade	over	g	pc/box
65522L	PZ.2	400	515	215	10

Adjustment slotted screwdriver



6553		<i>l</i>	<i>L</i>		
Part no.	size	blade	over	g	pc/box
655304	4	300	400	90	10
655305	5	300	400	100	10
655306	6	300	400	140	10
655308	8	300	400	285	5

Flexible hex socket driver



648		<i>l</i>	<i>L</i>		
Part no.	size	blade	over	g	pc/ctn
648055	5.5	160	270	190	60
64806	6	160	270	192	60
64807	7	160	270	196	60
64808	8	160	270	198	60
6481.4	1/4"	160	270	192	60
6485.16	5/16"	160	270	198	60

Adjustment slotted screwdriver



6553065L		<i>l</i>	<i>L</i>		
Part no.	size	blade	over	g	pc/box
6553065L	6.5	400	515	215	10

Flexible hex socket driver



6480607		<i>l</i>	<i>L</i>		
Part no.	size	blade	over	g	pc/ctn
6480607	6x7	160	275	220	60

Spline screwdriver M4



71817004A		blade		
Part no.	M4	80mm	35g	10pc

- For removing & fitting the internal covering of tail lamps and dashboards as fitted to the Golf IV & new AUDI / VW models.
- For door handle VW passat and Golf IV.

Flexible hex socket driver



648...L		<i>l</i>	<i>L</i>		
Part no.	size	blade	over	g	pc/box
648055L	5.5	500	630	275	10
64806L	6	500	630	275	10
64807L	7	500	630	275	10
64808L	8	500	630	275	10

Insulated phillips screwdriver



711N		<i>l</i>	<i>ℓ</i>		
Part no.	Tip	blade	over	g	pc/box
711N0	PH.0	60	145	32	10
711N1	PH.1	80	190	67	10
711N2	PH.2	100	220	100	10
711N3	PH.3	150	280	186	10

Insulated slotted screwdriver



713N		<i>l</i>	<i>ℓ</i>		
Part no.	Tip	blade	over	g	pc/box
713N025	2.5	75	160	31	10
713N03	3	100	185	35	10
713N035	3.5	100	185	38	10
713N04	4	100	210	67	10
713N055	5.5	125	235	85	10
713N065	6.5	150	270	121	10
713N08	8	175	305	196	10

Insulated pozidriv screwdriver



712N		<i>l</i>	<i>ℓ</i>		
Part no.	Tip	blade	over	g	pc/box
712N0	PZ.0	60	145	32	10
712N1	PZ.1	80	190	67	10
712N2	PZ.2	100	220	99	10
712N3	PZ.3	150	280	183	10

Insulated hex socket driver



744N		<i>l</i>	<i>ℓ</i>		
Part no.	Tip	blade	over	g	pc/box
744N05	5	125	245	122	10
744N06	6	125	245	124	10
744N07	7	125	245	130	10
744N08	8	125	245	133	10
744N09	9	125	245	135	10
744N10	10	125	245	138	10
744N11	11	125	245	160	10
744N12	12	125	245	163	10
744N13	13	125	245	168	10

Phillips jeweler screwdriver



731A		<i>l</i>	<i>L</i>		
Part no.	Tip	blade	over	g	pc/box
731A040000	PH.000	40	130	12	10
731A04000	PH.00	40	130	13	10
731A0400	PH.0	40	130	14	10
731A075000	PH.000	75	165	14	10
731A07500	PH.00	75	165	14	10
731A0750	PH.0	75	165	16	10
731A0751	PH.1	75	165	20	10

Slotted jeweler screwdriver



733A		<i>l</i>	<i>L</i>		
Part no.	Tip	blade	over	g	pc/box
733A040008	0.8	40	130	12	10
733A04001	1.0	40	130	12	10
733A040012	1.2	40	130	12	10
733A040015	1.5	40	130	12	10
733A040018	1.8	40	130	12	10
733A04002	2.0	40	130	12	10
733A040025	2.5	40	130	13	10
733A07502	2.0	75	165	14	10
733A075025	2.5	75	165	14	10
733A07503	3.0	75	165	16	10
733A075035	3.5	75	165	18	10
733A07504	4.0	75	165	20	10

Hex jeweler screwdriver

NEW



734A		<i>l</i>	<i>L</i>		
Part no.	Tip	blade	over	g	pc/box
734A040007	0.7	40	130	14	10
734A040009	0.9	40	130	14	10
734A040013	1.3	40	130	14	10
734A040015	1.5	40	130	14	10

Star jeweler screwdriver



736A		<i>l</i>	<i>L</i>		
Part no.	Tip	blade	over	g	pc/box
736A04005	T5	40	130	13	10
736A04006	T6	40	130	13	10
736A04007	T7	40	130	14	10
736A04008	T8	40	130	14	10
736A07509	T9	75	165	17	10
736A07510	T10	75	165	17	10
736A07515	T15	75	165	18	10
736A07520	T20	75	165	20	10

Star tamperproof jeweler screwdriver



737A		<i>l</i>	<i>L</i>		
Part no.	Tip	blade	over	g	pc/box
737A04005	T-5H	40	130	13	10
737A04006	T-6H	40	130	13	10
737A04007	T-7H	40	130	14	10
737A04008	T-8H	40	130	14	10
737A07509	T-9H	75	165	17	10
737A07510	T-10H	75	165	17	10
737A07515	T-15H	75	165	18	10
737A07520	T-20H	75	165	20	10

Hex key



764		<i>l</i>	<i>l</i>		
Part no.	Tip	short	long	g	pc/bag
7640127	1.27	13	41	2	10
764015	1.5	15	46	2	10
76402	2	18	52	2	10
764025	2.5	20	58	4	10
76403	3	23	66	5	10
764035	3.5	25	69	7	10
76404	4	29	74	10	10
764045	4.5	30	80	14	10
76405	5	33	85	20	10
764055	5.5	35	90	24	10
76406	6	38	96	30	10
76407	7	41	102	44	10
76408	8	44	108	60	10
76409	9	47	114	78	10
76410	10	50	122	105	10
76411	11	53	129	131	5
76412	12	57	137	167	5
76413	13	63	145	209	5
76414	14	70	154	258	5
76415	15	73	161	315	5
76416	16	76	166	367	5
76417	17	80	177	441	5
76418	18	84	188	524	5
76419	19	89	199	620	5
76421	21	96	211	804	5
76422	22	102	222	927	5
76423	23	108	233	1064	5
76424	24	114	248	1235	5
76426	26	123	265	1566	5
76427	27	127	277	1770	5
76430	30	142	315	2410	5
76432	32	157	347	3100	5
76436	36	176	391	4370	4
7641.16	1/16"	15	46	1	10
7645.64	5/64"	18	52	2	10
7643.32	3/32"	20	58	3	10
7647.64	7/64"	22	62	4	10
7641.8	1/8"	23	66	6	10
7649.64	9/64"	25	69	8	10
7645.32	5/32"	29	74	10	10
7643.16	3/16"	33	85	17	10
7647.32	7/32"	35	90	24	10
7641.4	1/4"	38	96	34	10
7649.32	9/32"	41	102	43	10
7645.16	5/16"	44	108	59	10
7643.8	3/8"	50	122	97	10
7647.16	7/16"	56	136	141	10
7641.2	1/2"	58	145	194	5
7649.16	9/16"	70	154	268	5
7645.8	5/8"	79	176	383	5
7643.4	3/4"	89	199	621	5
7647.8	7/8"	102	222	950	5
7641.0	1"	115	250	1386	5

Long hex key



764...L		<i>l</i>	<i>l</i>		
Part no.	Tip	short	long	g	pc/bag
7640127L	1.27	13	69	2	10
764015L	1.5	15	78	2	10
76402L	2	18	85	3	10
764025L	2.5	20	92	5	10
76403L	3	23	101	7	10
764035L	3.5	25	105	10	10
76404L	4	29	110	14	10
764045L	4.5	30	116	20	10
76405L	5	33	123	25	10
764055L	5.5	35	133	34	10
76406L	6	38	144	41	10
76407L	7	41	154	60	10
76408L	8	44	195	84	10
76409L	9	47	169	114	10
76410L	10	50	180	144	10
76411L	11	53	201	188	5
76412L	12	57	217	244	5
76413L	13	63	228	301	5
76414L	14	70	244	375	10
76417L	17	80	267	614	5
76419L	19	89	299	862	5
76422L	22	102	352	1389	5
7641.16L	1/16"	15	78	2	10
7645.64L	5/64"	18	85	3	10
7643.32L	3/32"	20	92	5	10
7641.8L	1/8"	23	101	8	10
7645.32L	5/32"	29	110	14	10
7643.16L	3/16"	33	123	25	10
7647.32L	7/32"	35	133	34	10
7641.4L	1/4"	38	143	46	10
7649.32L	9/32"	41	154	58	10
7645.16L	5/16"	44	164	81	10
7643.8L	3/8"	50	180	129	10
7641.2L	1/2"	58	220	252	5
7649.16L	9/16"	70	244	388	10
7645.8L	5/8"	79	266	532	5
7643.4L	3/4"	89	299	900	5
7647.8L	7/8"	102	352	1386	5

Extra long hex key



764...XL		<i>l</i>	<i>l</i>		
Part no.	Tip	short	long	g	pc/bag
7640127XL	1.27	13	81	2	10
764015XL	1.5	15	91	2	10
76402XL	2	18	102	3	10
764025XL	2.5	20	114	6	10
76403XL	3	23	129	9	10
764035XL	3.5	25	135	13	10
76404XL	4	29	144	18	10
764045XL	4.5	30	154	24	10
76405XL	5	33	165	33	10
764055XL	5.5	35	175	41	10
76406XL	6	38	186	53	10
76407XL	7	41	197	75	10
76408XL	8	44	208	103	10
76409XL	9	47	219	137	10
76410XL	10	50	234	180	10
76411XL	11	53	251	230	10
76412XL	12	57	262	288	10
76413XL	13	63	273	356	5
76414XL	14	70	294	445	5
76416XL	16	76	316	627	5
76417XL	17	80	337	751	5
76419XL	19	89	379	1052	5
7641.16XL	1/16"	15	91	2	10
7645.64XL	5/64"	18	102	3	10
7643.32XL	3/32"	20	114	5	10
7647.64XL	7/64"	22	122	8	10
7641.8XL	1/8"	23	129	10	10
7649.64XL	9/64"	25	135	14	10
7645.32XL	5/32"	29	144	18	10
7643.16XL	3/16"	33	165	29	10
7647.32XL	7/32"	35	175	41	10
7641.4XL	1/4"	38	186	57	10
7649.32XL	9/32"	41	197	77	10
7645.16XL	5/16"	44	208	99	10
7643.8XL	3/8"	50	234	162	10
7647.16XL	7/16"	56	247	234	10
7641.2XL	1/2"	58	263	321	10
7649.16XL	9/16"	70	294	464	10
7645.8XL	5/8"	79	336	656	5
7643.4XL	3/4"	89	379	1057	10

Long hex ball point key



765...L		<i>l</i>	<i>l</i>		
Part no.	Tip	short	long	g	pc/bag
7650127L	1.27	13	69	2	10
765015L	1.5	15	78	2	10
76502L	2	18	85	3	10
765025L	2.5	20	92	5	10
76503L	3	23	101	7	10
765035L	3.5	25	105	10	10
76504L	4	29	110	14	10
76505L	5	33	123	24	10
76506L	6	38	144	40	10
76507L	7	41	154	59	10
76508L	8	44	164	81	10
76510L	10	50	180	139	10
76512L	12	57	217	240	5
76514L	14	70	244	374	10
76517L NEW	17	80	267	605	5
7651.16L	1/16"	15	78	2	10
7655.64L	5/64"	18	85	3	10
7653.32L	3/32"	20	92	5	10
7651.8L	1/8"	23	101	8	10
7655.32L	5/32"	29	110	13	10
7653.16L	3/16"	33	123	22	10
7657.32L	7/32"	35	133	34	10
7651.4L	1/4"	38	143	45	10
7655.16L	5/16"	44	164	80	10
7653.8L	3/8"	50	180	127	10
7651.2L	1/2"	58	220	272	5
7659.16L	9/16"	70	244	388	10

Extra long hex ball point key



765...XL		<i>l</i>	<i>l</i>		
Part no.	Tip	short	long	g	pc/bag
7650127XL	1.27	13	81	2	10
765015XL	1.5	15	91	2	10
76502XL	2	18	102	3	10
765025XL	2.5	20	114	6	10
76503XL	3	23	129	9	10
76504XL	4	29	144	17	10
76505XL	5	33	165	31	10
76506XL	6	38	186	50	10
76507XL	7	41	197	75	10
76508XL	8	44	208	101	10
76510XL	10	50	234	176	10
76512XL	12	57	262	284	10
76514XL	14	70	294	439	5
76517XL	17	80	337	748	5
76519XL	19	89	379	1038	5
7651.16XL	1/16"	15	91	2	10
7655.64XL	5/64"	18	102	2	10
7653.32XL	3/32"	20	114	5	10
7651.8XL	1/8"	23	129	10	10
7655.32XL	5/32"	29	144	17	10
7653.16XL	3/16"	33	165	28	10
7651.4XL	1/4"	38	186	57	10
7655.16XL	5/16"	44	208	99	10
7653.8XL	3/8"	50	234	160	10
7651.2XL	1/2"	58	263	294	10

Star key



766		<i>l</i>	<i>l</i>		
Part no.	Tip	short	long	g	pc/bag
76606	T6	20	42	3	10
76607	T7	20	43	3	10
76608	T8	20	45	3	10
76609	T9	20	45	3	10
76610	T10	20	47	3	10
76615	T15	23	53	7	10
76620	T20	23	60	8	10
76625	T25	26	60	11	10
76627	T27	29	66	13	10
76630	T30	32	75	20	10
76640	T40	34	82	30	10
76645	T45	40	89	43	10
76647	T47	40	100	58	10
76650	T50	40	97	58	10
76655	T55	50	107	107	10
76660	T60	55	126	178	5
76670	T70	63	140	261	5
76680	T80	78	150	373	5

Long star key



766...L		<i>l</i>	<i>l</i>		
Part no.	Tip	short	long	g	pc/bag
76606L	T6	21	67	4	10
76607L	T7	21	72	5	10
76608L	T8	21	76	5	10
76609L	T9	21	79	5	10
76610L	T10	24	85	6	10
76615L	T15	28	88	10	10
76620L	T20	29	94	11	10
76625L	T25	32	98	18	10
76627L	T27	33	104	19	10
76630L	T30	32	118	30	10
76635L	T35	38	126	40	10
76640L	T40	38	126	44	10
76645L	T45	40	138	62	10
76650L	T50	42	160	90	10
76655L	T55	51	178	166	10
76660L	T60	57	197	266	5

Extra long star key



766...XL		<i>l</i>	<i>l</i>		
Part no.	Tip	short	long	g	pc/bag
76610XL	T10	20	92	5	10
76615XL	T15	23	103	12	10
76620XL	T20	23	115	12	10
76625XL	T25	26	130	23	10
76627XL	T27	29	145	27	10
76630XL	T30	32	166	41	10
76640XL	T40	34	186	60	10
76645XL	T45	40	208	94	10
76650XL	T50	40	233	112	10

Star tamperproof key



767		<i>l</i>	<i>l</i>		
Part no.	Tip	short	long	g	pc/bag
76706	T-6H	21	42	3	10
76707	T-7H	21	43	3	10
76708	T-8H	23	45	3	10
76709	T-9H	23	45	3	10
76710	T-10H	24	46	4	10
76715	T-15H	28	52	6	10
76720	T-20H	29	60	7	10
76725	T-25H	32	60	11	10
76727	T-27H	33	60	12	10
76730	T-30H	32	75	19	10
76740	T-40H	38	83	29	10
76745	T-45H	40	89	42	10
76747	T-47H	38	100	58	10
76750	T-50H	42	97	57	10
76755	T-55H	51	107	105	10
76760	T-60H	57	126	175	5

Long star & star ball point key



766...BL		<i>l</i>	<i>l</i>		
Part no.	Tip	short	long	g	pc/bag
76610BL	8	17	72	5	10
76615BL	10	17	82	10	10
76620BL	11	18	91	11	10
76625BL	12	18	95	18	10
76627BL	13	20	103	19	10
76630BL	14	24	113	31	10
76640BL	17	26	132	48	10
76645BL	19	30	134	65	10
76650BL	22	32	136	84	10

Long star tamperproof key



767...L		<i>l</i>	<i>l</i>		
Part no.	Tip	short	long	g	pc/bag
76706L	T-6H	21	68	4	10
76707L	T-7H	21	73	5	10
76708L	T-8H	23	76	5	10
76709L	T-9H	23	79	6	10
76710L	T-10H	24	85	6	10
76715L	T-15H	28	88	8	10
76720L	T-20H	29	94	11	10
76725L	T-25H	32	98	18	10
76727L	T-27H	33	104	19	10
76730L	T-30H	32	118	29	10
76735L	T-35H	38	126	37	10
76740L	T-40H	38	126	44	10
76745L	T-45H	40	138	61	10
76750L	T-50H	42	160	88	10
76755L	T-55H	51	178	164	10
76760L	T-60H	57	197	267	5

Extra long star tamperproof key



767...XL		<i>l</i>	<i>l</i>		
Part no.	Tip	short	long	g	pc/bag
76710XL	T-10H	20	92	5	10
76715XL	T-15H	23	103	12	10
76720XL	T-20H	23	115	12	10
76725XL	T-25H	26	130	23	10
76727XL	T-27H	29	145	27	10
76730XL	T-30H	32	166	41	10
76740XL	T-40H	34	186	60	10
76745XL	T-45H	40	208	94	10
76750XL	T-50H	40	233	112	10

Five-sided star tamperproof key



76F		<i>l</i>	<i>l</i>		
Part no.	Tip	short	long	g	pc/bag
76F10	TS10	20	46	4	10
76F15	TS15	23	52	6	10
76F20	TS20	23	60	8	10
76F25	TS25	26	61	11	10
76F27	TS27	28	67	13	10
76F30	TS30	30	74	20	10
76F40	TS40	34	82	30	10
76F45	TS45	40	89	43	10
76F50	TS50	40	98	58	10

Spline key



768...K		<i>l</i>	<i>l</i>		
Part no.	Tip	short	long	g	pc/bag
76805K	M5	31	89	16	10
76806K	M6	36	97	30	10
76808K	M8	41	104	40	10
76810K	M10	48	112	86	10
76812K	M12	53	127	126	10
76814K	M14	55	141	200	5
76816K	M16	64	151	287	5
76818K	M18	79	175	287	5

Hex & hex ball point grip key



765...G		<i>l</i>	<i>l</i>		
Part no.	Tip	short	long	g	pc/box
76502G	2	67	140	15	10
765025G	2.5	67	140	18	10
76503G	3	67	140	21	10
76504G	4	70	190	34	10
76505G	5	90	208	72	10
76506G	6	90	208	90	10
76507G	7	93	210	110	10
76508G	8	93	257	154	10
76510G	10	116	280	275	10
76512G	12	116	280	369	10
7655.64G	5/64"	68	140	15	10
7653.32G	3/32"	68	140	17	10
7651.8G	1/8"	68	140	22	10
7655.32G	5/32"	70	190	34	10
7653.16G	3/16"	90	208	67	10
7651.4G	1/4"	90	208	95	10
7655.16G	5/16"	90	256	152	10
7653.8G	3/8"	117	276	254	10
7651.2G	1/2"	117	276	406	10

Star & star tamperproof grip key



767...G			<i>l</i>	<i>l</i>		
Part no.	Tip	short	long	g	pc/box	
76710G	T10xT-10H	68	140	27	10	
76715G	T15xT-15H	68	140	27	10	
76720G	T20xT-20H	68	140	27	10	
76725G	T25xT-25H	95	208	84	10	
76727G	T27xT-27H	95	208	84	10	
76730G	T30xT-30H	95	208	85	10	
76740G	T40xT-40H	95	260	144	10	
76745G	T45xT-45H	95	260	144	10	
76750G	T50xT-50H	95	275	334	10	
76755G	T55xT-55H	95	275	340	10	

T-handle hex key



724		<i>l</i>	<i>l</i>		
Part no.	Tip	blade	over	g	pc/box
72402	2	100	130	30	10
724025	2.5	100	130	30	10
72403	3	100	130	38	10
72404	4	150	185	66	10
72405	5	150	185	78	10
72406	6	200	240	113	10
72407	7	200	240	136	10
72408	8	200	240	174	10
72410	10	200	240	240	10
72412	12	200	240	264	10
7243.32	3/32"	100	130	30	10
7247.64	7/64"	100	130	30	10
7241. 8	1/8"	100	130	34	10
7245.32	5/32"	150	185	54	10
7243.16	3/16"	150	185	66	10
7247.32	7/32"	200	240	113	10
7241. 4	1/4"	200	240	136	10
7245.16	5/16"	200	240	138	10
7243. 8	3/8"	200	240	240	10

T-handle hex ball point key



725		<i>l</i>	<i>l</i>		
Part no.	Tip	blade	over	g	pc/box
72502	2	100	130	32	10
725025	2.5	100	130	32	10
72503	3	100	130	38	10
72504	4	150	185	66	10
72505	5	150	185	77	10
72506	6	200	240	137	10
72507	7	200	240	158	10
72508	8	200	240	182	10
72510	10	200	240	270	10
7253.32	3/32"	100	130	32	10
7257.64	7/64"	100	130	32	10
7251. 8	1/8"	100	130	38	10
7255.32	5/32"	150	185	66	10
7253.16	3/16"	150	185	77	10
7257.32	7/32"	200	240	137	10
7251. 4	1/4"	200	240	158	10
7255.16	5/16"	200	240	182	10
7253. 8	3/8"	200	240	270	10

T-handle star key



726		<i>l</i>	<i>l</i>		
Part no.	Tip	blade	over	g	pc/box
72606	T6	100	130	32	10
72607	T7	100	130	33	10
72608	T8	100	130	33	10
72609	T9	100	130	33	10
72610	T10	100	130	33	10
72615	T15	100	130	39	10
72620	T20	100	135	52	10
72625	T25	100	135	58	10
72627	T27	200	240	58	10
72630	T30	200	240	58	10
72640	T40	200	240	68	10
72645	T45	200	240	79	10
72650	T50	200	240	93	10
72655	T55	200	240	130	10
72623520	T20	200	235	56	10
72623525	T25	200	235	68	10

T-handle star tamperproof key



727		<i>l</i>	<i>L</i>		
Part no.	Tip	blade	over	g	pc/box
72706	T-6H	100	130	30	10
72707	T-7H	100	130	30	10
72708	T-8H	100	130	30	10
72709	T-9H	100	130	30	10
72710	T-10H	100	130	30	10
72715	T-15H	100	130	34	10
72720	T-20H	100	135	34	10
72725	T-25H	100	135	54	10
72727	T-27H	200	240	51	10
72730	T-30H	200	240	102	10
72740	T-40H	200	240	122	10
72745	T-45H	200	240	144	10
72750	T-50H	200	240	170	10
72755	T-55H	200	240	258	10
72723520	T-20H	200	235	56	10
72723525	T-25H	200	235	68	10

T-handle hex socket driver



774		<i>l</i>	<i>L</i>		
Part no.	Tip	blade	over	g	pc/box
77430004	4	260	300	121	10
774300045	4.5	260	300	122	10
77430005	5	260	300	122	10
774300055	5.5	260	300	127	10
77430006	6	260	300	130	10
77430007	7	260	300	133	10
77430008	8	260	300	137	10
77430009	9	260	300	139	10
77430010	10	260	300	202	10
77430011	11	260	300	202	10
77430012	12	260	300	204	10
77430013	13	260	300	224	10
77430014	14	260	300	270	10
77430015	15	260	300	290	10
77430017	17	260	300	308	10
7743003.16	3/16"	260	300	122	10
7743001.4	1/4"	260	300	127	10
7743009.32	9/32"	260	300	136	10
7743005.16	5/16"	260	300	137	10
77430011.32	11/32"	260	300	142	10
7743003.8	3/8"	260	300	202	10
7743007.16	7/16"	260	300	202	10
7743001.2	1/2"	260	300	204	10
7743009.16	9/16"	260	300	270	10
7743005.8	5/8"	260	300	308	10

T-handle star socket driver



776		<i>l</i>	<i>l</i>		
Part no.	Tip	blade	over	g	pc/box
77604	E4	260	300	121	10
77605	E5	260	300	121	10
77606	E6	260	300	123	10
77607	E7	260	300	141	10
77608	E8	260	300	145	10
77610	E10	260	300	148	10
77611	E11	260	300	156	10
77612	E12	260	300	218	10
77614	E14	260	300	237	10
77616	E16	260	300	262	10

Adjustable 3-way T-shaped hex key



764...TA		<i>l</i>	<i>l</i>		
Part no.	Tip	blade	width	g	pc/box
76402TA	2	120	62	22	10
764025TA	2.5	125	61	22	10
76403TA	3	125	75	24	10
76404TA	4	180	90	58	10
76405TA	5	180	90	64	10
76406TA	6	210	106	127	10
76408TA	8	250	125	208	10
76410TA	10	300	150	388	5
76412TA	12	320	160	566	5
76414TA	14	340	170	803	5

3-Way T-shaped hex key




764...T		<i>l</i>	<i>l</i>		
Part no.	Tip	blade	width	g	pc/box
76402T	2	125	62	34	10
764025T	2.5	125	62	34	10
76403T	3	150	75	41	10
764035T	3.5	150	75	42	10
76404T	4	180	90	60	10
764045T	4.5	180	90	69	10
76405T	5	180	90	69	10
76406T	6	210	105	124	10
76407T	7	210	105	133	10
76408T	8	250	125	219	10
76409T	9	280	140	366	10
76410T	10	300	150	405	5
76412T	12	320	160	552	5
76414T	14	340	170	798	5

3-Way T-shaped star key



766...T		<i>l</i>	<i>l</i>		
Part no.	Tip	blade	width	g	pc/box
76606T	T6	125	62	20	10
76607T	T7	125	62	20	10
76608T	T8	125	62	20	10
76609T	T9	125	62	20	10
76610T	T10	150	75	25	10
76615T	T15	150	75	25	10
76620T	T20	150	75	25	10
76625T	T25	180	90	60	10
76627T	T27	180	90	60	10
76630T	T30	180	90	62	10
76640T	T40	210	105	135	10
76645T	T45	210	105	138	10
76650T	T50	250	125	220	10
76655T	T55	300	150	450	10
76660T	T60	320	160	650	5

T-shaped hex socket driver



774...A		<i>l</i>	<i>l</i>		
Part no.	Tip	blade	width	g	pc/box
77406A	6	300	200	220	10
77407A	7	300	200	220	10
77408A	8	300	200	279	10
77409A	9	300	200	285	10
77410A	10	300	200	294	10
77411A	11	300	200	318	10
77412A	12	300	200	328	10
77413A	13	300	200	346	10
77414A	14	300	200	422	10
77415A	15	300	200	480	10
77416A	16	300	200	510	10
77417A	17	300	200	542	10
77418A	18	300	200	600	10
77419A	19	300	200	620	5
77420A	20	300	200	650	5
77421A	21	300	200	715	5
77422A	22	300	200	715	5
77424A	24	300	200	702	5
7741.4A	1/4"	300	200	220	10
7745.16A	5/16"	300	200	279	10
7743.8A	3/8"	300	200	294	10
7747.16A	7/16"	300	200	318	10
7741.2A	1/2"	300	200	342	10
7749.16A	9/16"	300	200	422	10
7745.8A	5/8"	300	200	510	10
7743.4A	3/4"	300	200	620	5

Adjustable T-shaped hex socket driver



774...B		<i>l</i>	<i>l</i>		
Part no.	Tip	blade	width	g	pc/box
77407B	7	220	200	190	10
77408B	8	240	200	195	10
77409B NEW	9	240	200	252	10
77410B	10	260	200	265	10
77412B	12	260	200	380	10
77413B	13	260	200	380	10
77414B	14	260	200	385	10
77417B	17	290	250	500	5
77419B	19	290	250	580	5
77422B	22	315	250	715	5

3/8"DR. Long universal socket driver (ball type)



784...B		<i>l</i>	<i>l</i>	
Part no.	Tip	blade	width	g
784332008B	8	320	200	338
784332010B	10	320	200	338
784332011B	11	320	200	340
784332012B	12	320	200	340
784332013B	13	320	200	340
784332014B	14	320	200	360
784345008B	8	450	200	406
784345010B	10	450	200	406
784345011B	11	450	200	408
784345012B	12	450	200	408
784345013B	13	450	200	408
784345014B	14	450	200	428
784360008B	8	600	200	486
784360010B	10	600	200	486
784360011B	11	600	200	488
784360012B	12	600	200	488
784360013B	13	600	200	488
784360014B	14	600	200	508

3/8"DR. Long universal socket driver (joint type)



784...U		<i>l</i>	<i>l</i>	
Part no.	Tip	blade	width	g
784332008U	8	320	200	350
784332010U	10	320	200	350
784332011U	11	320	200	352
784332012U	12	320	200	352
784332013U	13	320	200	352
784332014U	14	320	200	372
784345008U	8	450	200	418
784345010U	10	450	200	418
784345011U	11	450	200	420
784345012U	12	450	200	420
784345013U	13	450	200	420
784345014U	14	450	200	440
784360008U	8	600	200	498
784360010U	10	600	200	498
784360011U	11	600	200	500
784360012U	12	600	200	500
784360013U	13	600	200	500
784360014U	14	600	200	520

Long universal socket driver (joint type)



784...U		<i>l</i>	<i>l</i>	
Part no.	Tip	blade	width	g
1/4"DR.				
784206U	6	400	165	210
784207U	7	400	165	210
784208U	8	400	165	210
784209U	9	450	175	240

784...U		<i>l</i>	<i>l</i>	
Part no.	Tip	blade	width	g
3/8"DR.				
784310U	10	450	175	392
784311U	11	450	175	394
784312U	12	450	175	395
784313U	13	450	175	425
784314U	14	500	180	425
784315U	15	500	180	430
784316U	16	500	180	430
784317U	17	500	180	430
1/2"DR.				
784418U	18	500	180	820
784419U	19	500	220	880
784420U	20	500	220	880
784421U	21	500	220	900
784422U	22	500	220	900
784424U	24	500	220	920

Long universal square driver (joint type)



804...U		<i>l</i>	<i>l</i>	
Part no.	Drive	blade	width	g
8042400U	1/4"DR.	400	150	218
8042500U	1/4"DR.	500	150	258
8043320U	3/8"DR.	320	200	318
8043450U	3/8"DR.	450	200	408
8043600U	3/8"DR.	600	200	512
8043700U	3/8"DR.	700	200	582
8044500U	1/2"DR.	500	250	956
8044700U	1/2"DR.	700	250	1252